Kanbas Permit No.: M-KS72-S001

Federal Permit No.: KS0093327

KANSAS WATER POLLUTION CONTROL MUNICIPAL SEPARATE STORM SEWER SYSTEM (MS4) PERMIT AND AUTHORIZATION TO DISCHARGE UNDER THE NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM

Pursuant to the provisions of Kansas Statutes Annotated 65-164 and 65-165, the Federal Water Pollution Control Act as amended, 33 U.S.C. 1251 $\underline{\text{et}}$ $\underline{\text{seq}}$., the "Act",

Permittee:

Topeka, City of

Permittee's Address:

Water Pollution Control 1115 NE Poplar Street Topeka, KS 66616

Drainage Basin:

Kansas River

County:

Shawnee

is hereby authorized to discharge stormwater from the municipal separate storm sewer system (MS4) as described herein in accordance with the limitations, conditions and requirements set forth in this permit.

This permit is effective February 1, 2020, supersedes the previously issued MS4 general permit M-KS72-S001 and expires January 31, 2025.

PERMIT AREA AND AUTHORIZED DISCHARGES

This permit covers all areas within the permittee's jurisdiction served by the permittee's MS4, as defined in the permittee's Stormwater Management Program (SMP) and generally consistent with 40 CFR 122.26(b)(8) - (the Permit Area). The Permit Area may change, during the term of this permit, based upon areas incorporated into or removed from the permittee's jurisdictional area which is served by the MS4 system.

This permit authorizes the discharge of all existing or new stormwater point source discharges from the Municipal Separate Storm Sewer System (MS4) located within the Permit Area. New stormwater discharges are those which are created and/or incorporated into the permittee's MS4 during the term of this permit.

Secretary, Kansas Department of Health and Environment

January 23, 2020 Date

Kansas Permit No.: M-KS72-S001

Page 2 of 58

PART I. STORMWATER MANAGEMENT PROGRAM (SMP) DOCUMENT REQUIREMENTS

A. Current Stormwater Management Program

The permittee shall continue to implement and enforce the current Stormwater Management Program (SMP), as documented in the SMP document, until an updated SMP is implemented. Revised or modified surface water monitoring may be implemented in 2019 as allowed and if so required by this permit.

Any updated SMP shall be designed to:

- 1. Reduce the discharge of pollutants from the municipal separate storm sewer system (MS4) to the Maximum Extent Practicable (MEP),
- Continue to implement the six minimum control measures as listed in PART I Section C,
- 3. Satisfy the requirements of this permit.

Implementation of Best Management Practices (BMPs) consistent with the provisions of the SMP document and this permit constitutes compliance with the standard of reducing pollutants to the Maximum Extent Practicable.

B. Updated Stormwater Management Program document

The SMP shall be updated and submitted to KDHE between January 1 and February 28 of 2021 (submitted with the Annual Report and the updated SMP must be effective in 2021). As this permit imposes additional requirements for implementation of BMPs Total Maximum Daily Load (TMDL) and/or surface water monitoring [see PART II. Best Management Practices and Surface Water Monitoring] beyond what the previous permit imposed, the current SMP shall be modified with the SMP document updated to include the additional requirements imposed by this permit. Some specific requirements for updating the SMP document are addressed in PART I Section D. "Total Maximum Daily Load (TMDL) Regulated Pollutants." Additionally, to comply with new EPA regulations [National Pollutant Discharge Elimination System (NPDES) Municipal Separate Storm Sewer System General Permit Remand Rule (Remand Rule)], as finalized and effective January 9, 2017, this permit must include requirements in clear, specific, and measurable terms. Tables of BMPs are listed along with point values, and the permittee must implement sufficient listed BMPs to achieve minimum point requirements for each year beginning in 2021. The Remand Rule was published on December 9, 2016 in the Federal Register, Vol. 81, No. 237 beginning on page 89320.

This rule clarifies that terms and conditions must be expressed in terms which are "clear, specific, and measurable." The permit requirements must be enforceable and must provide a set of performance expectations and schedules readily understood by the permittee, the public, and the permitting authority alike. To provide as much flexibility to the permittee in implementing their stormwater management program in compliance with this permit and the Remand Rule, KDHE has elected to establish a point system and a list of various BMPs, tasks, or other conditions with associated point values to be tallied and demonstrate compliance with the total point requirement for each of the Six Minimum Control Measures and TMDL BMPs when required.

Modification of the SMP is permitted as the need arises. Modifications can be accomplished with any of the following methods:

- 1. Normally the SMP document is updated near the end of the calendar year and submitted to KDHE for review along with the annual report which is due after the first of the calendar year but before the 28th of February. In this case the permittee can begin implementation of the new SMP as soon as they have submitted the SMP to KDHE. The permittee is required to implement the SMP, which was most recently submitted to KDHE along with the annual report, throughout the entire year and may continue to implement the updated SMP until subsequently modified. The updated SMP as submitted must be approved by KDHE. If KDHE finds the SMP is not approvable, requirements for modification and resubmittal will be addressed to the permittee.
- 2. If it becomes necessary to modify the SMP at some time other than when the annual report is submitted to KDHE, the permittee may make the modifications to the SMP document and submit the SMP document to KDHE for approval. The permittee shall not begin implementation of the modified SMP until after KDHE has provided approval. KDHE may provide full approval of the modified SMP, or may provide conditional approval, may require revision of the modified SMP document and resubmission for subsequent review or may elect to not approve the modified SMP.
- 3. KDHE may require the permittee modify the SMP at any time, requirements for modification and resubmittal will be addressed to the permittee

C. Six Minimum Control Measures

The Permittee shall continue to review, update and implement BMPs with measurable goals for each of the six minimum control measures. The six minimum control measures and requirements are as follows:

1. Public Education and Outreach

The permittee shall continue to implement a public education program which includes distribution of educational materials to the community or conducting equivalent outreach activities which address the impacts of stormwater discharges on water bodies and the steps the public can take to reduce pollutants in stormwater runoff.

a. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 4 points total on an annual basis for each calendar year 2021 and 2022. The point total requirement increases to 7 points for each calendar year beginning in 2023. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings or public forums; a single public hearing or forum can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing a Public Education and Outreach program as required above, the permittee must implement sufficient listed BMPs in the table below to qualify for the required number of points.

BMP Summary	Measurable Goal	Implementation Time Schedule etc.	Points
Lbmp P Ed & O - 01 Maintain a stormwater webpage for the permittee.	Maintain the webpage with up to date information with all links effective and valid information. Check all links and update website as necessary on a minimum monthly basis. Document monthly checks in log book and indicate changes with logged summaries.	The webpage must be available throughout the year once it is posted and initially made available. In the initial year posted it must be available for a minimum of 3 months to qualify for the points. In subsequent calendar years the points may be claimed if the webpage has been maintained throughout the twelve months.	3 points may be claimed in the first year implemented, and 2 points may be claimed for each successive year the webpage is maintained available.
catalog mailings, handouts, or e-mails) addressing various pertinent stormwater public education topics.	Number of all flyers, brochures, catalog mailings, handouts, or e-mails distributed in a year shall equal or exceed the most recent U.S. Census Bureau decennial housing units value for the permit area. The applicable U.S. Census housing units value shall be documented, and the number of flyers, brochures, or e-mails distributed shall also be documented. This information and copies of the flyers, brochures, or e-mails shall be retained on file.	Either flyers, brochures, catalog mailings, handouts, or e-mails are to be distributed in at least two separate batches, ideally in separate seasons (either winter, spring, summer or fall). However, the required number of flyers, brochures, or e-mails must be distributed in a single calendar year and the points can be claimed for that year.	2 points may be claimed in a year in which the required number of flyers, brochures, catalog mailings, handouts, or e-mails are distributed.
Provide either training or educational materials to permittee identified businesses at high risk of contributing to	Training or educational materials must be provided, within the year, to	The required amount of training or distribution of educational materials must occur within the	2 points may be claimed in any year in which the required amount of training or distribution of educational

Such businesses onn	if the population of	year for which	material
include, but are not	the municipality is greater than 10,000,	points are claimed.	occurs.
limited to, food service, auto service,	or three businesses if the population of		
disaster response and janitorial services. The	the municipality is		
training or educational materials shall address	between 3,000 and 9,999, or two		
best management practices they can	separate businesses if the population of		
employ to minimize or avoid adverse stormwater	the municipality is less than 3,000.		
impacts due to their operations.	There is no		
	requirement to provide training to		
	business in separate		전환 설립하다 기자 현실을 보고 싶 제 설립하다 하는 하는 사람이 소리하는 것 같아 나는 기자를 받는
	business categories, although it is		성하다 사람들은 사람 1980년 - 1980년 - 19
Lbmp P Ed & O - 04	allowed.		
LDMP P Ed & O - 04			2 points may be claimed in
Apply notification,	Apply this	The required number	years when the required
<pre>placard, covers/hatches with message, or</pre>	notification on at least 10% of all	of placards, covers/hatches with	number of inlets (10%)
stencil, on stormwater	known stormwater inlets in the MS4.	message, or stencils must be	receive
<pre>inlets to provide a message similar to "No</pre>	inters in the ma4.	placed within the	placards, covers/hatches
Dumping - Drains to River"		year for which points are claimed.	with message, or stencils or
NI VOI		Alternately, points may be claimed in	in subsequent
		any subsequent year	years when an additional 5%
		when an additional 5% of all known	of all known
		stormwater inlets in the MS4 bear the	inlets in the
		placard,	MS4 bear the placard,
		covers/hatches with message, or	covers/hatches with message,
		stencil.	or stencil.
Lbmp P Ed & 0 - 05			
			1 point may be
Post the municipality's MS4 permit and SMP	The two documents must be posted for at	Months for which the posting occurs	claimed for posting each
document on either the stormwater web page or	least six months of the year to claim one	must be within the year for which	year (minimum
the municipal webpage.	point.	points are claimed.	of at least six months).
		No "carryover" of months from one	
Then D.Ed.C.O.		year to the next.	2 points may
Lbmp P Ed & O - 06			be claimed
Provide either a	Respond to all	The	for each year the hotline /
stormwater telephone	reported complaints	hotline/reporting	reporting system is
hotline or web based or	within 10 days and,	system must be	T placem IR

text message method for if found valid, public reporting of resolve or establish illicit discharges. a schedule for resolution within 20 days. Actual resolution may take more than 20 days, but the schedule for resolution must be finalized and the efforts to implement resolution must begin within 20 days following receipt of complaint. Document complaints and response/resolution process for all complaints received in the year. limited to;

Resolution of an illicit discharge can include, but is not elimination of the discharge; on-site treatment to allow discharge to the MS4 (normally requires an NPDES permit); redirecting the discharge to a location that the discharge is not considered illicit. i.e., sanitary sewer or to holding tanks to allow the waste to be hauled off for appropriate treatment,

available to the public for at least six months in the year to claim the points.

maintained and available. An additional point may be claimed for each illicit discharge resolved in the year up to a limit of 2 additional points per year. One point allowed per illicit discharge resolved.

Lbmp P Ed & O - 07

Provide educational
material annually to at
least four groups,
including each of the
following types:
Residents,
Businesses/Institutions,
Commercial
entities/Developers, and
Industrial facilities.
The educational material
may be provided as any
of the following:

Identify and educate at least 4 groups/entities from the listed types annually developing topics that are group specific and address activities and or pollutants of concern.

reuse/recycle or

disposal.

All the requirements for sending educational material to the various groups must occur in a single year to qualify for the points in that year.

3 points may be claimed each year this BMP is implemented in compliance with the specified requirements.

> Brochures > Flyers > E-mails > Press release Lbmp P Ed & O - 08			
Provide stormwater education for students at a school campus within K-12 (those grades present at the campus) within the permittee's jurisdiction or within 30 miles from this permit area. The training may be limited to the individual campus (local school buildings associated with a single address). This training does not need to be provided to the entire school system, e.g., USD. Alternately, funding stormwater BMP installations and/or field trips at the school campus will qualify.	Provide or fund an educator or speaker that will reach at least 5% of the K-12 students as normally attend school in the selected school campus. Alternately, the funding of BMPs at the school campus may provide for any of the following: Installation of BMPs at the school Install	All of the required students (5% minimum) in K-12 at the selected campus must be educated in a single year to qualify for the points in that year. Alternately, stormwater BMPs may be funded at a school campus where students may participate in installation or observe operation of the BMPs. Any of the items listed under measurable goals qualify.	3 points may be claimed each year this BMP is implemented in compliance with the specified requirements (provide education and/or fund stormwater BMP installations at the school campus).
1. Operate an information booth at a large public event, (such as a sports event, fair, or music festival) where at least an estimated 1,000 or more individuals attend. 2. Alternately, operate an information booth		All events shall have the booth staffed by the permittee for at least 50% of the days the event occurs.	2 points may be claimed each year this BMP is implemented in compliance with the specified requirements for alternative 1. (1,000 or more attendees) or alternative 2. (3,000 attendees).

The profession of the control of the paragraph of the profession of the control control and the control control and the control control and the control control and the control contro	v: Fee a section and the second section of the sect	Total Control of the	
at multiple public events, (such as a sports event,			Finally, 1 point may be
fair, or music festival) where a			claimed each year this BMP
cumulative estimated total of			is implemented in compliance
3,000 or more individuals			with the specified
attend.			requirements for
3. And finally, a single point can			alternative 3(200
be claimed for operating an			attendees):
information both at a public event			
where at least an estimated 200 or			
more individuals . attend.			
Lbmp P Ed & O - 10			
Provide either training or educational materials to lawn/turf care service entities	Training or educational materials must be provided,	The required amount of training or distribution of	2 points may be claimed in any year in which the
addressing best	within the year, to at least five	educational materials must	required amount of
management practices they can employ to	lawn/turf care service entities or	occur within the year for which	training or distribution
minimize or avoid adverse stormwater	at least 20% of the lawn care service	points are claimed.	of educational
impacts due to their operations.	entities located in		material occurs.
	the municipality whichever is least.		
Lbmp P Ed & O - 11 Adopt a public education	Install and/or	Credit can be	1 point may be claimed for the year when
program to reduce littering.	maintain signs to discourage littering.	claimed for any year in which signs	signs are posted for six
	Signs are to be located in areas	are installed and in place for	months or more, or 1
	where littering has been a problem.	greater than six months or in cases	point may be claimed in
		where signs have previously been	subsequent years where
		installed in any year where the	the signs remain posted
		signs remain posted for the full year.	throughout the year.
Lbmp P Ed & O - 12		and the state of	1 point may be claimed in any
Create a stormwater	Harro multiple	mla a la constantina	year the
information brochure to	Have multiple copies of the brochure	The brochures shall address stormwater	brochures are made available
provide to the public at	available during at least 10 meetings or	topics of concern.	to the public at meetings
			ar meerings

public meetings and/or hearings	hearings open to the public during the year. Provide the brochures to the public at no charge.		and/or hearings as required.
Operate an adopt a highway program to utilize public volunteers to clean road right-of-way:	The volunteers shall clean at least a two-mile segment of road either within the permit area or adjacent to the permit area. Alternately multiple spots (such as roadways, parks, and waterways) which are cleaned and equate to or exceed a two-mile road clean-up can qualify for a point.	The road right-of-way shall be cleaned at least once per year. Points may be claimed for any year in which cleaning has occurred.	1 point may be claimed in any year a two-mile road segment is cleaned or alternately multiple spots are cleaned which equate to or exceed a two-mile road clean-up.
Hold a media campaign addressing various pertinent stormwater public education topics.	Estimated media exposure during prime-time broadcasting for the duration of the campaign shall be 10 times the most recent U.S. Census Bureau decennial population value for the permit area. The date, time, and estimated media exposure for each spot broadcast shall be documented and kept on file along with the applicable U.S. Census population value.	The media campaign shall be run within the year for which points are claimed. A new media campaign shall be run for each year points are claimed.	2 points may be claimed in a year in which the media campaign meeting the minimum exposure rate is conducted.
Lbmp P Ed & O - 15 Develop or participate in an ongoing social media program on pertinent stormwater public education topics:	Publish or share social media content on the permittee's social media accounts at least six times per year. Record post topic, the number of impressions and engagement for each post. Include link to permittee's	The required number of social media posts must occur within the year for which the posts are claimed.	2 points can be claimed in a year which the required number of content is shared:

	stormwater education website.		
Operate an information booth at a public event or hold a public event which is intended to improve public understanding of issues related to water quality. The event may be associated with any environmental related issue including but not limited to an environmental expo, earth day, world wetlands day, international day of action for rivers, world fish migration day, world biodiversity day, world oceans day, world cleanup day, world water monitoring day, world rivers day, and America recycles day.	At least an estimated 800 or more individuals must attend the event.	The booth must be staffed at least 50% of the time the event is open to the public.	2 points may be claimed each year this BMP is implemented in compliance with the specified requirements. Municipal staff from multiple permittees may staff the both and claim points, for their municipality, for this BMP if their staff meet the 50% of the time staffing requirement.
Operate an adopt a street program to utilize public volunteers to clean street right-of-way.	The volunteers shall clean at least a two-mile segment of street, either a single street or multiple streets, either within the permit area or adjacent to the permit area.	The street right- of-way shall be cleaned at least once per year. Points may be claimed for any year in which cleaning has occurred.	l point may be claimed in any year at least two miles of street right-of-way is cleaned by volunteers.

- b. Documentation of compliance with the goal and implementation time schedule must be maintained on file to claim the associated points. Permittee is responsible for implementing adequate BMPs to comply with the Public Education and Outreach requirements of this permit and be able to claim at least the required number of points in the calendar years as specified above. Extent of compliance, i.e., equal or exceed the required annual point total or failure to reach the required annual point total, must be reported in the Annual Report.
- c. The permittee is not limited to implementation of the BMPs listed in the above table. Several other BMPs may be implemented, however, only implementation of the BMPs listed in the table may be documented and counted toward the required annual point total.

2. Public Involvement/Participation

The permittee shall continue to implement a public involvement and participation program to solicit public comments and recommendations regarding the BMPs and measurable goals utilized by the permittee to comply with the permit. The permittee shall comply with State and local public notice requirements when implementing a public involvement and participation program.

a. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 3 points total on an annual basis for each calendar year 2021 and 2022. The point total requirement increases to 6 points for each calendar year beginning in 2023. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings or public forums; a single public hearing or public forums can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing a Public Involvement/Participation program as required above, the permittee must implement sufficient listed BMPs in the table below to qualify for the required number of points.

BMP Summary	Measurable Goal	Implementation	Points
		Time Schedule etc.	
Hold a public hearing or public forum to notify the public about stormwater program activities and to solicit public	Provide public notice of the hearing/forum, invite local news media, either newspaper, radio or TV, and document the	Retain copies of the notices to public, invitations to attend, attendance sign-in sheets, and minutes.	2 points may be claimed each year this BMP is implemented in compliance with the
comments regarding stormwater issues.	hearing with attendance sign-in sheet and minutes of the hearing which include public comments and responses.	Points may be claimed in year which hearing is held.	specified requirements.
Lbmp P I/P - 02			3 points may
Establish a citizens advisory committee.	Host the citizens advisory committee meetings twice yearly and receive comments and guidance from the committee regarding the SMP. Retain on file copies of the attendance list and minutes of the meetings.	The citizens advisory committee must hold at least two meetings in the year which points are claimed.	be claimed each year this BMP is implemented in compliance with the specified requirements.

The same later of the later of			2
Lbmp P I/P = 03			
Hold park or stream bank clean-up events	Clean an area which	At least one such	
for public volunteers	must be equal to or greater than one acre	clean-up activity must occur in the	
to aid municipal staff	or alternately at least	year for which	3 points may
in removing trash, debris, or pollutant	200 yards of streambank.	points are	be claimed
sources from the	screambank.	claimed.	each year this
selected clean-up	Alternately, for		implemented in
area.	municipalities with less than 500		compliance
	population clean an		with the specified
	area which must be		requirements.
	equal to or greater than a quarter of an		
	acre or alternately at		
	least 100 feet of		
	streambank.		
Lbmp P I/P - 04	The second of th	a Status Hari-Artificial (A.S. P. et l.) Sector Allega H. en reconstructural (establica).	
Train either citizen	Provide training or	At least one such	2 points may
watch groups, homeowner associations	distribute training	training activity	be claimed
(HOAs), or public	materials to the group participants at least	or distribution of training materials	each year this
service groups to	once annually.	must be provided	implemented in
recognize illicit discharge activities		to the group in	compliance
and communicate		the year for which points are	with the specified
observations to		claimed.	requirements.
appropriate municipal staff.			
Paragraph of the state of the s			
Libmp P I/P - 05			
Provide at least two	Provide at least two	At least two	
events for residents to engage in cleanup	events in streams, streamside parks, areas	events in compliance with	3 points may
activities and improve	adjacent to public	the stated goals	be claimed
water quality in the municipality.	waterways, and/or other	must be conducted	each year this BMP is
	green infrastructure/water	within the year for which points	implemented in
	resources. These	are claimed.	compliance with the
	events can be any of the following:		with the specified
	Environmental		requirements.
	restoration events,		
	stream cleanups, tree plantings, or stream		
	monitoring.		
Lbmp P I/P - 06			2 points may
			be claimed each year this
Establish a program to	Encouragement can	One or more of the	BMP is
encourage residents to install stormwater	include funding, grants, and other	listed methods of	implemented in
	3-41100/ and other	encouragement must	compliance

management practices on their property.	financial incentives, trainings and or giveaways. Stormwater treatment BMPs can include: rain barrels, rain gardens, native plantings, native trees, cisterns and vegetated swales. Record participation numbers annually.	be implemented in the year for which points are claimed.	with the specified requirements, with the addition of 1 additional point (for a total of 3 points in the year) each year that participation increases 10% from the previous year.
Enact either an ordinance, a resolution, or other enforceable requirement that requires pet owners or their keepers to immediately and properly dispose of their pet's solid waste deposited at parks or rest areas owned by the permittee.	The ordinance or resolution or other enforceable measure shall be enacted, and signs posted informing the public of their obligation at the park. The installation of a pet waste bag dispenser in the public area qualifies as adequate signage.	In the year the Measurable Goal requirement is implemented the point may be claimed and for each year thereafter.	1 point may be claimed for the year in which the Measurable Goal requirements are enacted, and 1 points may be claimed for each subsequent year the Measurable Goal requirements remain in effect.
Provide a monetary donation to a scholarship fund for students pursuing a degree in an environmental program which would qualify them to work in a field which can result in water pollution control.	A \$500 contribution in a year is the minimum acceptable amount to achieve this goal.	The donation must be made in the year the points are claimed.	2 points may be claimed each year this BMP goal is achieved.
Distribute stormwater educational materials to the public within this permit area. Alternately, the permittee may provide	The educational materials, for each topic, which are distributed or supplied must have a value of at least \$50. Topics may be anything related to	: municipalities each year points	1 point may be claimed per topic addressed in compliance with the requirements, up to a total of 5 points/topics.

		•	5
stormwater educational materials, e.g. brochures, flyers, or pamphlets. These materials may address various stormwater topics. For this alternative these materials may be provided to other nearby municipalities for distribution to the public. The nearby municipalities must be within 30 miles from this permit area. Lbmp P I/P - 10	stormwater including but not limited to clean-up guidance following flooding, discouraging littering, explaining and discouraging illicit discharges to the storm sewers; guidance on constructed BMPs for home owners (rain gardens, rain barrels, etc.) guidance on area household hazardous waste receiving centers, and guidance on area recycling programs.	when materials are provided with equal or greater value as required for each separate topic.	
Establish a program to employ (either paid or unpaid) high school or college age environmental interns in an environmental related program including but not limited to either the wastewater utility, stormwater utility, potable water utility or solid waste utility.	The intern must receive the same environmental related training a new full-time employee would receive, within the first six months of the full-time employee's employment, during their internship.	The internship must last at least 8 weeks in the year when points are claimed.	2 points may be claimed each year this BMP goal is achieved per intern.

- b. Documentation of compliance with the goal and implementation time schedule must be maintained on file to claim the associated points. Permittee is responsible for implementing adequate BMPs to comply with the Public Involvement/Participation requirements of this permit and be able to claim at least the required number of points in the calendar years as specified above. Extent of compliance, i.e., equal or exceed the required annual point total or failure to reach the required annual point total, must be reported in the Annual Report.
- c. The permittee is not limited to implementation of the BMPs listed in the above table. Several other BMPs may be implemented, however, only implementation of the BMPs listed in the table may be documented and counted toward the required annual point total.

Kansas Permit No.: M-KS72-S001
Page 15 of 58

3. Illicit Discharge Detection and Elimination

The permittee shall:

- a. Continue to implement and enforce a program to detect and eliminate illicit discharges into the MS4.
- b. Maintain a storm sewer system map of the permittee's MS4, showing the location of all known outfalls, either pipes or open channel drainage, showing the names and location of all streams or lakes receiving discharges from those outfalls. A copy of the map shall be submitted to KDHE with the annual report if requested by KDHE. This map may be submitted as a PDF file(s) on a compact disk (CD) or a digital versatile disk (DVD).
- c. Implement and enforce an ordinance, a resolution, or other enforceable requirement, if the permittee has the authority to do so, to prohibit non-stormwater discharges into the storm sewer system and implement appropriate enforcement procedures and actions. A copy of the ordinance or resolution shall be submitted to KDHE with the annual report if requested by KDHE.
- d. Inform public employees, businesses, and the general public of hazards associated with illegal discharges and improper disposal of waste.
- e. Develop and implement a plan to detect/inspect for and address prohibited non-stormwater discharges, including illegal dumping, to the storm sewer system. The plan must include efforts to identify and evaluate dry weather MS4 discharges to detect and eliminate any associated illicit discharge. Unless identified by either the permittee or KDHE as a significant source of pollutants to waters of the state, several types of non-stormwater flow are not normally prohibited from entering the Municipal Separate Storm Sewer System:

Discharges which are not necessarily prohibited include:

- I. Water line flushing
- II. Diverted stream flows
- III. Rising ground waters
- IV. Uncontaminated groundwater infiltration as defined under 40 CFR 35.2005(20) to separate storm sewers
- V. Uncontaminated pumped groundwater
- VI. Contaminated groundwater if authorized by KDHE and approved by the municipality
- VII. Discharges from potable water sources
- VIII. Foundation drains
 - IX. Air conditioning condensation
 - X. Irrigation waters
 - XI. Springs
 - XII. Water from crawl space pumps

Kansas Permit No.: M-KS72-S001 Page 16 of 58

- XIII. Footing drains
- XIV. Lawn watering
- XV. Individual residential car washing
- XVI. Occasional not-for-profit car wash activities
- XVII. Flows from riparian habitats and wetlands
- XVIII. Dechlorinated swimming pool discharges excluding filter backwash
 - XIX. Street wash water (excluding street sweepings which have been removed from the street)
 - XX. Discharges or flows from firefighting activities
 - XXI. Heat pump discharge waters (residential only)
- XXII. Treated wastewater meeting requirements of an NPDES permit
- XXIII. Sump pump drains
- XXIV. Other discharges determined not to be a significant source of pollutants to waters of the state, a public health hazard or a nuisance.
- f. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 5 points total on an annual basis for calendar years 2021 and 2022. The point total requirement increases to 7 points for each calendar year beginning in 2023. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings or public forums; a single public hearing or public forums can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing an Illicit Discharge Detection and Elimination program as required above, the permittee must implement sufficient listed BMPs in the table below to qualify for the required number of points.

BMP Summary	Measurable Goal	Implementation Time Schedule	Points
Hold a public hearing or public forum to educate the public about illicit discharges and alternate acceptable methods of disposal or reuse of substances and/or materials. Lbmp I D D & E - 02	Provide public notice of the hearing/forum, invite local news media (either newspaper, radio or TV), and document the hearing with attendance sign-in sheet and minutes of the hearing which include questions/comments from the attendees and answers/comments from the permittee staff.	Retain copies of the notices to public, invitations to attend, attendance sign-in sheets, and minutes. Hearing must be held in year for which points are claimed.	2 points may be claimed for any year a hearing/forum is held.
Implement a program to abandon failed or failing residential or commercial on-site wastewater treatment facilities. These onsite wastewater treatment systems such as septic tank - lateral systems or lagoon systems are then connected to the municipal wastewater collection system for treatment of wastewater at the municipal wastewater treatment plant. Alternately, upgrade or replace the failed system to restore performance.	Redirect the wastewater generated by the facility to the municipal wastewater treatment collection system for proper treatment and disposal. Alternately, upgrade or replace the failed system with improvements which meet or exceed the present code or local requirements.	For each failed or failing on-site system which is abandoned, and the wastewater is redirected to the municipal wastewater treatment system, the permittee may claim points in the year the system is initially connected into the municipal wastewater treatment system. Alternately, for systems which are upgraded or replaced to restore adequate performance a lower number of points may be claimed in the year the upgrade or replacement is	3 points may be claimed for each abandoned system in the year it is abandoned, alternately for systems which are upgraded or replaced as per the requirements a total of 2 points may be claimed in the year upgrade or replacement is completed.
Develop a spill response plan and, if appropriate, coordinate emergency	The plan shall include, at a minimum, explanation of appropriate spill	The plan may be implemented in any year and points claimed for the	3 points may be claimed in the year initially implemented, and

response with other	response activities	initial	2 points may
agencies or	for spills associated	implementation or	be claimed
organizations.	with vehicle	for each year the	for each
	accidents, at grade or	plan remains	A CONTRACTOR OF THE PROPERTY OF THE PROPERTY OF THE PARTY
	above ground storage	effective.	successive
	tanks, and vehicle	errective.	year the plan
			remains
	fluids from mechanical		effective.
	equipment such as		
	construction		
	equipment, cars, or		
	trucks. The written		
	plan shall be		
	maintained on file.		
Lbmp I D D & E - 04	marinearmed on 1.11e.		
110mp 1 D D & E = 04			1 point may
			be claimed in
			1
Implement a program to	When at least 5% of	The evaluation of a	the year when
evaluate MS4 outfalls	the known MS4 outfalls	group of at least	a total of at
to identify illicit	are inspected and for	5% of the known MS4	least 5% of
discharges. Inspect	which at least one	outfalls may be	the known MS4
at least 5% of the	outfall was identified		outfalls are
known MS4 outfalls	as discharging	completed all in	finally
during a calendar year	(entirely or	one year or may	inspected,
and evaluate the ones		occur in up to two	and 2
	partially) flow from	consecutive years	additional
which have dry weather	an illicit discharge,	and a point can be	
discharges. Evaluate	the allotted points	claimed. The	points may be
the water quality of	may be claimed in the	larger number of	claimed in
the dry weather	year when the illicit	points may be	which the
discharges to	discharge is	claimed only for	illicit
recognize non-	eliminated. Document	the year in which	discharge(s),
stormwater	the MS4 outfalls	the illicit	associated
contributions and	inspected, the		with this
trace the source of		discharge(s),	group of
	outfalls with dry	associated with	evaluated
any illicit discharge.	weather discharges and	this group of	outfalls
	the MS4 outfalls	evaluated outfalls	
	associated with	is/are eliminated.	is/are
	illicit discharges.		eliminated.
Lbmp I D D & E - 05			
Distribute a letter	The letter (or flier)	The distribution of	
(or flier) and/or e-	and/or e-mail along		
mail along with a		these various	
press release from a	with the press release	documents, letter	
	shall highlight the	(or flier) and/or	
municipal official	requirements for	e-mail along with	
with the intent of	proper disposal of	the press release,	
reaching every	wastes and disposal	shall all occur in	
resident and business	methods. Copies of	the same month.	
in the MS4 permit	these documents shall	Permittee may claim	2 points
area. The distributed	be retained on file	these points in the	5 POTITO
documents shall			
provide information on		year these	
how to avoid illicit		documents are	
	lists to document	distributed.	
discharges to the MS4,	distribution to the		
i.e., proper disposal	target area (minimum		
methods for common	MS4 permit area) to		
substances or	avoid illicit		
materials often	discharges to the MS4.		
discharged illicitly.	Provide a link to the		
Provide a link to the	municipal website		
	The second control of	amperatura et e forest est est per est d'acces de la proposition presentation de l'accessifications de l'acces	erregiste (Aller Britania establist Astrologica (Aller III)

where applicable ordinances and disposal guidance are posted.	where applicable ordinances and disposal guidance are posted.		
pipelines or direct	Generate a summary report of the inspection including the number of linear feet televised, number of linear feet visually inspected, condition comments, illicit discharges identified and the results of efforts to eliminate illicit discharges, e.g., discharge line disconnected and redirected to the sanitary sewer or discharge practice terminated.	The inspection process can occur in a single calendar year or may be conducted over a period extending from one year into the succeeding year. Points may be claimed in the year when the televised and/or visual inspection of this portion of the MS4 system (either 2% or 10%) is completed.	3 points may be claimed for inspection of 2% of the MS4 system, alternately if 10% of the MS4 system is inspected 5 points may be claimed.
Implement a Household Hazardous Waste Collection Program (HHWCP) or document others have implemented such a program to provide such service to all property owners or residents located within the permit area.	Document the residents and property owners within the MS4 permit area were able to dispose of such wastes at the HHWCP during a calendar year. Retain this documentation on file.	The property owners or residents located within the permit area must be able to dispose of waste accepted by the HHWCP throughout a calendar year. Points may be claimed for any such year.	3 points may be claimed for any year in which this BMP was implemented in compliance with the requirements.
Implement a program to increase the reliability of sanitary sewer pump stations above the minimum standard design requirements.	A pump station shall be upgraded to include the following: A dedicated on- site standby generator shall be installed (with automatic transfer switch) for use	listed under measurable goals, are installed and ready for operation the points may be initially claimed and in subsequent	5 points may be claimed (for each pump station upgraded in compliance with this BMP) in the first year the improvements, as listed under measurable

when main line power fails.

operational points may be claimed.

> A dialer system, or telemetry system, or connection to a SCADA system shall be installed to provide real time or nearly real time notification of failures at the pump station which can potentially lead to sanitary sewer overflow.

goals, are installed and ready for operation, 4 points may be claimed for (for each pump station upgraded in compliance with this BMP) each successive year the improvements, as listed under measurable goals, remain operational.

The permittee shall purchase and maintain for immediate operation a trailer mounted motor driven sewage pump for use when the pump station fails to operate. The motor driven pump shall be sized to pump at a rate at least equal to the firm pumping capacity of any sanitary sewer pump station the permittee claims points for under this BMP.

The pump station shall be modified to facilitate the connection of the trailer mounted pump discharge to the force main and convenient

	installation of		
`	the suction		
	line from the		
	trailer mounted		
	pump into the		
	wet well.	· '	
Libmp I D D & E = 09			
Provide a contribution	The contributions may	The total value of	
	be made to programs	donation (either	
	which take tires,	in-kind work,	
	automotive fluids,	materials, supplies	
	batteries, or other	or cash) in a	
	wastes for which there	minimum amount of	
1 4 1 0 0 0 4 1 1 4 2 1 1 1 1	is any documentation	\$500 must be made	
	such wastes have been	in the year points	
I POPOL OILLE	discarded as addressed	are claimed.	
1 -92	under the BMP summary.		
pharmaceutical	The contributions must	Alternatively, for	
disposal facilities	total a minimum of	municipalities with	
etc.) designed to	a the grant life and the first the analysis are also a first life and the second of th	less than 500	2 points may
properly dispose of	\$500 in the year (\$100	population the	be claimed
types of waste or	in the year for	total value of	each year
materials which have	alternative lower	donation in a	this BMP goal
previously been	population	 Tell is districted a the substitute in the interior of the property of the proper	is achieved.
discarded to or	municipalities) which	minimum amount of	TS achieved.
adjacent to either the	points are claimed.	\$100 must be made	
MS4, streams, or lakes	The contributions can	in the year points	
within or adjacent to	be monetary or can be	are claimed.	
the permittee's permit	in the form of goods		
area. The area	and/or services with		
program must be within	an agreed specified		
30 miles from this	value. Contributions		
permit area.	may be made to area		
	household hazardous		
	waste programs,		
	private recycle/reuse		
	facilities or		
	civic/volunteer		
	organizations		
	assisting in recycle.		
Lbmp I D D & E - 10	Processor and the control of the con		3 points may
			be claimed
	Generate a summary	The inspection	for
Inspect, 5% of the MS4	report of the	process can occur	inspection of
system Stormwater	inspection including	in a single	2% of the MS4
inlets and/or outfalls	the number of inlets	calendar year or	system in the
	and/or outfalls	may be conducted	year the
within the permit area	visually inspected, "	over a period	required
all conducted within a	condition comments,	extending from one	percentage of
12-month period to aid		year into the	inlets and/or
in identifying illicit	illicit discharges	⊶	outfalls are
discharges. If in a	identified and the	succeeding year.	finally
	21 6 66 1		I TTIIQTTA
12-month period 15% of	results of efforts to	Points may be	-
the MS4 system inlets	eliminate illicit	claimed in the year	inspected,
the MS4 system inlets and/or outfalls are	eliminate illicit discharges, e.g.,	claimed in the year when the televised	inspected, alternately
the MS4 system inlets	eliminate illicit	claimed in the year	inspected,

claimed in the year the required percentage of inspections are completed.	redirected to the sanitary sewer or discharge practice terminated.	portion of the MS4 system (either 2% or 15%) is completed.	inspected 5 points may be claimed.
---	--	--	------------------------------------

- g. Documentation of compliance with the goal and implementation time schedule must be maintained on file to claim the associated points. Permittee is responsible for implementing adequate BMPs to comply with the Illicit Discharge Detection and Elimination requirements of this permit and be able to claim at least the required number of points in the calendar years as specified above. Extent of compliance, i.e., equal or exceed the required annual point total or failure to reach the required annual point total, must be reported in the Annual Report.
- h. The permittee is not limited to implementation of the BMPs listed in the above table. Several other BMPs may be implemented, however, only implementation of the BMPs listed in the table may be documented and counted toward the required annual point total.

4. Construction Site Stormwater Runoff Control

The permittee shall continue to maintain a program to reduce pollutants in any stormwater runoff to the MS4 from construction activities that result in a land disturbance of greater than or equal to one acre. Reduction of pollutant discharge associated with stormwater from construction activity disturbing less than one acre must be included in the program if that construction activity is part of a larger common plan of development or sale that would disturb one acre or more. The program must include, at a minimum, all the following:

- a. Maintain and enforce an ordinance, a resolution, or other enforceable requirement, if the permittee has the authority to do so, to require erosion and sediment controls, as well as sanctions to ensure compliance, to the extent allowable under State and local law. A copy of the ordinance or resolution shall be submitted to KDHE with the annual report if requested by KDHE.
- b. Maintain requirements for construction site owners or operators to implement appropriate erosion and sediment control best management practices.
- c. Maintain requirements for construction site owners or operators to control waste such as discarded building materials, concrete truck washout, chemicals, litter, and sanitary waste at the construction site that are likely to cause adverse impacts to water quality.
- d. Maintain procedures for site plan review which incorporate consideration of potential water quality impacts.
- e. Maintain procedures for receipt and consideration of information submitted by the public.
- f. Maintain procedures for site inspection and enforcement of control measures.
- g. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 4 points total on an annual basis for each calendar year 2021 and 2022. The point total requirement increases to 6 points for each calendar year beginning in 2023. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings; a single public hearing can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing a Construction Site Stormwater Runoff Control program as required above, the permittee must implement sufficient listed BMPs in the table below to qualify for the required number of points.

BMP Summary	Measurable Goal	Implementation Time Schedule etc.	Points
Implement a requirement for a Soil Erosion and Sediment Control(SESC) Plan for any land Disturbance sites which are either equal to or greater than 1 acre or for which there is construction activity disturbing less than one acre which is part of a larger common plan of development or sale that in total disturbs one acre or more.	Enact a regulatory ordinance, or other enforceable measure that requires an SESC Plan for all developments disturbing sites which are either equal to or greater than 1 acre or for which there is construction activity disturbing less than one acre which is part of a larger common plan of development or sale that in total disturbs one acre or more.	Points may be claimed in the year the ordinance/enforceab le requirement first becomes effective, and for each full calendar year thereafter for which the ordinance/enforceab le requirement remains effective.	3 points may be claimed in the year the ordinance initially becomes effective, and 2 points may be claimed for each successive year thereafter for which the ordinance remains effective.
Develop and adopt a design manual for erosion and sediment control BMPs which are required to be used on sites which will be disturbed and are either equal to or greater than 1 acre or for which there is construction activity disturbing less than one acre which is part of a larger common plan of development or sale that in total disturbs one acre or more.	Require implementation of BMPs in compliance with the design manual on all sites which meet the disturbed area standard as specified in the BMP Summary.	Points may be claimed for the year which the manual is initially adopted and implemented, and a reduced number of points may be claimed for subsequent years in which the manual remains implemented.	3 points may be claimed in the year the manual is initially implemented, and 2 points may be claimed for each successive year the manual remains effective.

1921 Schelleren (1961) - Franch Ing. 1 School of the control of th	FC-11 18		
Provide access to at least one training class for contractors, developers or others involved with land disturbance projects which provides training on requirements for a Stormwater Pollution Prevention Plan (SWP2 Plan) and implementation	This training class must address all local requirements for a SWP2 Plan, requirements for implementation of BMPs and address the requirements for permits:	Points may be claimed for the year in which the training class is held:	3 points
of appropriate BMPs.			
Develop a site plan review process which considers potential water quality impacts which may occur during construction as well as post construction impacts.	Review process must have written guidance for the reviewer. Issuance of a building permit or approval to start construction may not be provided until the site plan has successfully passed the review process either based on the initial site plan submittal or has been modified to comply with requirements identified during the review process. Measures must be included to enforce	Points may be claimed in the year the review process is initially developed and implemented. Also points may be claimed in each subsequent year the review process continues to be implemented.	3 points may be claimed in the year the review process is initially developed and implemented, 2 points may be claimed for each successive year the review process continues to be implemented.
	the installation of		impicmenced.
	water quality BMPs)	
	included in the site		
Lbmp C S S R C - 05 Establish effective requirements for construction sites to control wastes. Develop through ordinance or other enforceable means requirements for construction site Operators or owners to control wastes. At a minimum control shall be imposed to prevent entry into the MS4 for the following wastes:		Points may be claimed in the year of enactment. Also points may be claimed in each subsequent year the method of effective control of construction site waste remains in effect.	3 points may be claimed in the year of enactment, 2 points may be claimed for each successive year the method of effective control of construction site waste remains in effect.

<pre> > discarded building materials > concrete > Truck washout > chemicals, > litter, and > sanitary waste Lbmp C S S R C - 06 </pre>			
Develop written procedures for inspection of construction sites. Develop a Stormwater Construction Site Inspection Guide for use by municipal inspectors.	The procedures document must address the administrative aspects associated with required inspections of construction sites, the issuance of inspection reports, notices of violations, and enforcement actions. The Inspection Guide must provide inspectors guidance on how to conduct a construction site stormwater inspection, the required procedures, and guidance on acceptable conditions of various BMPs employed on such sites, enforcement actions and/or reference of cases for enforcement by other municipal staff, guidance on photo log of the inspection and inspection checklists for use by the inspector.	Development of the written procedures and the Inspection Guide can occur in any year. Initial implementation can allow points to be claimed in that year and continued implementation can allow points to be claimed in subsequent years.	3 points may be claimed in the year of initial development, 2 points may be claimed for each successive year the written procedures and inspection guide continue to be utilized.
Lbmp C S S R C - 07 Acquire or develop a software tracking system to track inspections and related tasks.	The tracking system must allow for scheduling inspections	software tracking	1 point may be claimed for any year the software is initially utilized, and 1 point may be claimed for each successive year the software is utilized.

- h. Documentation of compliance with the goal and implementation time schedule must be maintained on file to claim the associated points. Permittee is responsible for implementing adequate BMPs to comply with the Construction Site Stormwater Runoff Control requirements of this permit and be able to claim at least the required number of points in the calendar years as specified above. Extent of compliance, i.e., equal or exceed the required annual point total or failure to reach the required annual point total, must be reported in the Annual Report.
- i. The permittee is not limited to implementation of the BMPs listed in the above table. Several other BMPs may be implemented, however, only implementation of the BMPs listed in the table may be documented and counted toward the required annual point total.

5. $\underline{\text{Post-Construction Stormwater Management in New Development and}}$ Redevelopment $\underline{\text{Projects}}$

The permittee shall continue to maintain a program to address post-construction stormwater runoff from new development and redevelopment projects that disturb greater than or equal to one acre, including projects less than one acre that are part of a larger common plan of development or sale, that discharge into the MS4. The program must include, at a minimum, all the following:

- a. Maintain a requirement for BMPs to prevent or minimize adverse water quality impacts.
- b. Maintain strategies which include a combination of structural and/or non-structural BMPs appropriate for the municipality.
- c. Maintain and enforce an ordinance or resolution, if the permittee has the authority to do so, to address post-construction runoff from new development and redevelopment projects to the extent allowable under State and local law.
- d. Provide adequate long-term operation and maintenance of structural BMPs.
- e. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 5 points total on an annual basis for each calendar year 2021 and 2022. The point total requirement increases to 7 points for each calendar year beginning in 2023. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings; a single public hearing can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing a Post-Construction Stormwater Management in New Development and Redevelopment Projects program as required above, the permittee must implement sufficient listed BMPs in the table below to qualify for the required number of points.

Lbmp P-C S M - 01		화물으로 하고 바라가 하는 사람들이 이 시간	Carried Carried Strategy of the Control of the Cont
		김 명 이번 이번 아내리고 있는 사람이 됐네. 사고 다시	
Taller of the first all and the first of the first state of the first			
		Davelessant of the	
- Catalife (1944年) - Alago - Mariella manuaria manaria manaria (1944年) - Alago - Alago - Alago - Alago - Alago	The custom design manual shall impose	Development of the design manual can	
	requirements to	occur in any year.	4 points may
Stormwater Management	achieve at least one	Initial	be claimed in
which specifies	of the following	implementation can	the year of
various structural	standards:	allow points to be	initial
BMPs which are	경우의 경기 기업 전에 가장되었다. 이 경영 경우의 이 경영 경우의 보다. 현기는 경영 경우 (1987년 1일 - 1987년 1일 경영 경우 (1987년 1일 기업	claimed in that	implementation
required for new	> Capture, at	year and continued	of a custom
development and re-	least, the first	implementation can	design manual
development	0.5 inches of	allow points to be claimed in	- alternately 6 points may
construction sites	precipitation on the	subsequent years.	be claimed in
which are greater than 1 acre or for which	development/re-		the year of
there is construction	development site		initial
activity disturbing	and utilize		implementation
less than one acre	methods to		of the APWA
which is part of a	prevent		5600
larger common plan of	discharge off-		stormwater
development or sale	site, including		design
that in total disturbs	but not limited		criteria and the MARC/APWA
one acre or more.	to:		BMP Manual,
Alternately, adopt and	• retain on- site		3 points may
implement the APWA	• infiltrate		be claimed for
5600 Stormwater Design	• evaporate		each
Criteria and the	• transpire		successive
MARC/APWA BMP Manual.	or	되는 경영 한다. 함께 보고 있다고 있는 그 등 가능을 가능했다. 사람들은 기계를 보고 있다는 것이 되는 것이다.	year
	• beneficial		compliance
	ly reuse		with the custom design
			manual is
	> Through implementation		required/imple
	of appropriate		-mented
	BMP(s) reduce	기 교육 설립 등 기본 기본 기본 기본 기본 기본 환경 및 환경 수 있는 기본	Alternately 5
	the peak		points may be
	stormwater flow		claimed in
	rate to a value		each
	equal to or less		successive year the
	than the rate which would be		year the implementation
	which would be experienced on		of the APWA
	the site prior		5600
	to the		stormwater
	development/re-		design
	development		criteria and
	project based		the MARC/APWA
	upon modeling a		BMP Manual is
	standard storm		required/imple
	event, e.g. 1.0		-mented.
	inch - 6-hour		
	event assuming saturated soil		
	conditions.		

	Other sizing or detention standards generally accepted by design engineers as adequate for the permittee's local. As an alternative to a custom design manual the APWA 5600 Stormwater Design Criteria and the MARC/APWA BMP Manual may be adopted and implemented. Measures must be included to enforce the installation of the various structural		
Develop a list of post-construction structural or non-structural BMPs which are required to be incorporated in any development/re-development project. The list must include guidance regarding the BMPs which must be incorporated in various projects as determined appropriate by the permittee. The list is to be provided to entities involved with the design of projects prior to site plan review by the	Development and implementation of the list and guidance is necessary to claim points in the first year. The list of required BMPs must be enforceable through ordinance or other means.	Development of the list and guidance can occur in any year. Initial implementation can allow points to be claimed in that year and continued implementation can allow points to be claimed in subsequent years.	3 points may be claimed in the year of initial implementation , 2 points may be claimed for each successive year the list is maintained and implemented.
Lbmp P-C S M - 03 Develop and implement a program to provide adequate	The program shall be detailed in a written document and made	Development of the program can occur in any year.	3 points may be claimed in the year of initial implementation

2 points may available to all Initial long-term cleaning, be claimed for pertinent maintenance implementation can operation and each allow points to be maintenance of all staff. claimed in that successive municipally owned or year and continued year the operated postimplementation can program is construction maintained and allow points to be structural stormwater utilized. claimed in BMP facilities. The subsequent years. program shall address several different types of these BMP systems. The systems, which are addressed, shall include any type of post-construction structural BMP system, contained in the MS4. These shall include, if so present, at a minimum the following: detention ponds > retention ponds grass swales pervious paving systems wetlands vegetative filter strips > manufactured stormwater treatment devices (swirl separators, screens, etc.) > drop inlet-catch basin Lbmp P-C S M - 04 Runoff problems can be After all aspects Develop a master plan addressed efficiently are implemented 5 points may or comprehensive be claimed in including final development plan which with sound planning procedures. This implementation of the year all establishes zoning and the master or aspects are development standards master or initially comprehensive with establishment of comprehensive development plan must development plan, implemented, both structural and 2 points may include, if not along with non-structural BMPs be claimed for already implemented, a enactment of the intended to avoid or zoning ordinance, a required each minimize adverse water stream buffer ordinances points successive quality impacts postyear all ordinance, site plan for implementation construction. of this BMP can aspects development initially be continue to be requirements which include minimizing the claimed. implemented. increase of impervious surfaces and maximization/preservat

ion of open space.

	m) 7		
	The plan must also		
	impose requirements		
	for new development or		
	re-development		
	projects to utilize		
	stormwater retention		
	or detention BMPs and		
	vegetative BMPs (such		
	as grassy swales,		
	filter strips,		
	artificial wetlands,		
	and rain gardens).		
Lbmp P-C S M - 05		I format av tipologija majoranja anglesia	
Libitip P-C S M = U5			
Devictor and device	m1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
Develop and implement a program for	The program shall	The program shall	
a program for inspection of	require inspection of	be developed and	
permittee owned	at least 10% of the	implemented within	
structural BMPs which	structural BMPs on an	a single year.	
includes	annual basis.		
implementation of			
needed maintenance to	Identified maintenance		3 points may
maintain long-term	activities shall be		be claimed in
operation of the BMPs	completed:		the year the
Operación of the BMPS	1. in the same year		program is
	of inspection or		initially
	2. completed as		developed and
	dictated by the		implemented,
	permittee's		2 points may
	maintenance/0&M plan		be claimed for
	3. or a written		each
	plan for		successive
	completion of		year the
	the necessary		program
	maintenance		continues to
	shall be		be .
	completed in the		implemented.
	same year of		
	inspection with		
	the objective		
	for completion		
	of the		
	maintenance		
	activity within		
	18 months.		
Lbmp P-C S M - 06		eers one varan har eer, mid oo bi brek tiida jalks saadaliiddi (Callie)	3 points mar-
<u>-</u>			3 points may be claimed in
Develop and implement	The program shall	The program shall	the year the
a program for	require inspection of	be developed and	program is
inspection of known	at least 10% of the	implemented within	initially developed and
privately owned	known privately owned	a single year.	implemented,
structural BMPs which	structural BMPs on an	- Sangro your.	2 points may
includes providing the	annual basis.		
1			be claimed for

			1-
owner of the BMPs an			each
inspection report	Identified maintenance		successive
which specifies needed	activities shall be		year the
maintenance to provide	completed in the same		program
long-term operation of	year of inspection or		continues to
the BMPs.	a written plan for		be
	completion of the		implemented.
	necessary maintenance		_
	shall be completed in		
	the same year of		
	inspection with the		
	objective for		
	completion of the		
	maintenance activity		
	within 18 months.		
	·		
Lbmp P-C S M - 07			3 points may
			be claimed in
			the year of
Enact either an	The ordinance or	The year the	initial
ordinance, a	resolution or other	ordinance or	implementation
resolution, or other	enforceable	resolution or	
enforceable	requirement must	other enforceable	2 points may
requirement which	specify when	requirement is	be claimed for
requires the	installation of	implemented points	each
installation of	impervious surfaces is	may be claimed and	successive
pervious surfaces on	not acceptable and	continued	year the
property.	what allowable	implementation can	ordinance or
Propercy.	pervious surfaces can	allow points to be	resolution or
	be installed in lieu	claimed in	other
	ALIS AT TROOP OF COMPANIES A PLACE YOUR LEADING AND ARREST AND A SECOND ASSESSMENT OF THE SECOND AND A SECOND ASSESSMENT ASSES	subsequent years.	enforceable
	of impervious	Subsequenc years.	requirement is
	surfaces,		
			implemented.
Lbmp P-C S M - 08			
			2 points may
T 3	7 mmagram tihi ah	The number of	be claimed in
Implement a program to	A program which	residential	a year BMPs
encourage residential	results in		are installed
owners to install	installation of such	parcels improved	on 1% of the
stormwater BMPs,	BMPs on 1% of the	to qualify for	residential
including but not	residential parcels in	points must occur	parcels,
limited to, native	a year will allow two	in a single	4 points may
trees, native flower	points to be claimed	calendar year.	be claimed in
gardens, rain gardens,	for that year. In a		a year BMPs
rain barrels, pervious	year when installation		are installed
surfaces, and	of such BMPs on 5% of		on 5% of the
vegetated swales.	the residential		residential
	parcels occurs, a		
	larger number of		parcels.
	points may be claimed.		
	I POTITED MAY DO CHATMOA.		1

- f. Documentation of compliance with the goal and implementation time schedule must be maintained on file to claim the associated points. Permittee is responsible for implementing adequate BMPs to comply with the Post-Construction Stormwater management in New Development and Redevelopment Projects requirements of this permit and be able to claim at least the required number of points in the calendar years as specified above. Extent of compliance, i.e., equal or exceed the required annual point total or failure to reach the required annual point total, must be reported in the Annual Report.
- g. The permittee is not limited to implementation of the BMPs listed in the above table. Several other BMPs may be implemented, however, only implementation of the BMPs listed in the table may be documented and counted toward the required annual point total.

6. Pollution Prevention/Good Housekeeping for Municipal Operations

The permittee shall continue to implement an operation and maintenance program that includes employee training to prevent and reduce stormwater pollution from municipal operations activities such as park and open space maintenance, fleet and building maintenance, new construction and land disturbances, and stormwater system maintenance.

a. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 4 points total on an annual basis for each calendar year 2021 and 2022. The point total requirement increases to 6 points for each calendar year beginning in 2023. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings; a single public hearing can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing a Pollution Prevention/Good Housekeeping for Municipal Operations program as required above, the permittee must implement sufficient listed BMPs in the table below to qualify for the required number of points.

BMP Summary	Measurable Goal	Implementation Time Schedule etc.	Points
Install a screening device or method at a single municipal storm sewer outfall or on the storm sewer line immediately upstream of the outfall to reduce the discharge of floatables or other	The screening device or method is required to remove objects that exceed at least 1½ inches in size. The device or method must be capable of continuous operation	Volume or weight of the material shall be documented for either each discharge event or on a quarterly basis.	3 points may be claimed in the year the screening device or method is initially implemented, 2 points may be claimed for each successive

Lbmp P P/G H - 02	during stormwater discharges. An emergency bypass or overflow line can be included to avoid surcharging/flooding in the event the screening device or method fails to operate properly at any time. A log of the material captured and prevented from discharge to the receiving water shall be maintained.	Recycle containers	year the screening device or method continues to be implemented. 3 points may be claimed in the year recycle
Implement a recycle and proper waste disposal program for municipal staff to reduce potential for litter, to recycle waste oil, batteries, glass containers, plastic containers, and paper products.	A log of the materials directed to recycle shall be maintained. Entries in the log shall record either weight or volume of recycle materials removed from the containers and transported to the recycle facility as well as the date of transport.	shall be available for staff use all days of the year in which points are claimed.	containers are made available for municipal staff use and the recycle program is initially implemented, 2 points may be claimed for each successive year the recycle program continues to be implemented.
Develop a guidance document for municipal staff or third-party contractors which apply pesticides. The guidance shall require any municipal staff, who apply restricted use pesticides, to have a commercial applicator certification from the Kansas Department of Agriculture if	Require staff which apply pesticides to use such pesticides in compliance with the guidance document. The guidance document must require use of pesticides in compliance with the label instructions.	The guidance document must be finalized and implemented in the year which points are initially claimed.	2 points may be claimed in the year the guidance document is finalized and implemented, 1 point may be claimed for each successive year the guidance document continues to be implemented.

required by that			
Department:			
Lbmp P P/G H - 04		A CONTROL OF THE CONT	
		,	
Implement a program,	Maintain proper wash	The guidance	
with guidance to	facilities for	document must be	2
municipal staff or	municipal staff to	finalized and	2 points may
third-party	wash vehicles and/or	implemented in the	be claimed in
contractors, to	equipment or implement		the year the
provide that any	a program which	year which points	guidance
municipal vehicle or	includes guidance to	are initially claimed.	document is
other mechanical	municipal staff to	Claimed.	finalized and
equipment washing is	take vehicles and/or	·	implemented,
conducted in a manner	equipment to		1 point may be
which the wash water	commercial wash		claimed for
is disposed of in the			each
sanitary sewer or	facilities, either of which the wash water		successive
otherwise will receive			year the
proper treatment prior	is conveyed to the		guidance
to discharge to the	sanitary sewer, or		document
environment.	otherwise receives		continues to
environment.	proper treatment prior		be
	to discharge to the		implemented.
	environment, and not		
	discharged untreated		•
	to the MS4 or directly		
Lbmp P P/G H - 05	to the environment.	to play the state of the land and the state of the state	
			3 points may
			be claimed in
Implement a program	7 1 1		the year at
for street sweeping in	All paved streets	At least 10% of the	least 10% of
which the street	which can be swept	streets which are	the listed
sweepings are	shall be listed in the	listed in the street	streets are
collected and disposed	schedule for street	sweeping schedule	swept and
of properly or	sweeping. A log shall	must be swept at	street
recycled/reused if	be maintained listing	least once in a year	sweeping
possible.	the street segments	to claim points for	equipment is
	which are swept and,	the year.	purchased,
	dates of sweeping and		2 points may
	where the street	In years when street	be claimed for
	sweepings are disposed	sweeping equipment	each year at
	or where the material	is purchased for use	least 10% of
	was sent to be	by the permittee	the listed
	recycled and/or	additional points	streets are
	reused.	may be claimed.	swept or
	71.1		alternately
		Alternately, for	for
		municipalities with	municipalities
and the production of the contract of the cont	of a section from the first than the	Tess chair soo	with less than
		Popuracion at reast	500 population
		5% of the street	if at least 5%
		Ancrers whiteh can be !	of the street
		swept must be swept	gutters which
		in a year to claim	can be swept
	maintained need only	points for the year.	are swept in a
at at an employed a transfer the arrangement of the second	indicate the street		year 2 points
nerver er e	segments which were		4

The second secon			may be
	swept in the year and		may be claimed.
	confirm the sweepings		Claimed.
	were properly disposed		
	or recycled and/or		
	reused		
Lbmp P P/G H - 06			
Develop an employee	Provide quidance	For each year in	
training program to	documents in the form	which staff receive	
	of either fact sheets,	quidance documents	
improve permittee's	flyers or e-mails to	or in-person	
staff understanding of	staff to coach them in	training or video	
what actions they can		training on two	
take in the workplace	appropriate actions	separate dates,	
to minimize stormwater	they can take while		
pollution.	working to minimize	points may be	
	stormwater pollution.	claimed for the	In years when
		year.	quidance
	Alternately, provide		documents or
	in-person training or		training (in-
	videos with sign-in-		person or
	sheets for signature		video) are
	documentation of		provided on
	personal or video		two separate
	training.		dates 1 point
	Retain copies of the		may be
-	quidance documents		claimed.
	and/or sign-in-sheets.		claimed.
	A log of when the		
	quidance was		·
	distributed, or		
	training was provided		
	to staff should be		
	maintained.		
	Provide appropriate		
	guidance and/or		
	training to staff a		
	minimum of twice per		
	year.		
Lbmp P P/G H - 07			In years when
			staff inspect
			at least 5% of
Implement a program to	Inspect at least 5% of	For each year in	all stormwater
inspect stormwater	all inlets annually.	which staff inspect	Inlets and
inlets to identify		at least 5% of all	remove
illicit discharges and		stormwater inlets at	accumulated
clean drop inlets of	of all inlets are	least one point may	debris 1 point
accumulated debris.	inspected in a year an	be claimed.	may be
	additional point may		claimed.
	be claimed.		In years when
			staff inspect
	For any inlets which		at least 10%
	have evidence of		of all
	dumped paint, oil or		stormwater
	other substances which		inlets and
	are considered illicit		remove
	inter transferance and the highest selected in the basis of the resource of the activities of the large		accumulated
	discharges follow up		debris 2
	with efforts to		points may be
	educate individuals		claimed.
	near the impacted		CTarmed.

Lbmp P P/G H - 08	inlet about illicit discharges. For inlets which have any accumulation of debris, remove the debris for proper disposal.		
Develop, implement and keep updated an online storm sewer map accessible to the public.	Map shall cover the entire MS4 within the permit area and include all the MS4 lines both pipe and open drainage (i.e. ditches) and shall also illustrate all impaired waterways (i.e. 303(d) listed and TMDL listed streams/rivers) with an indication of the listed impairment.	For each year in which the map is posted online points may be claimed. In the first year the map is posted it must be posted for at least six months for points to be claimed.	3 points may be claimed in the first year, 2 points may be claimed for each year thereafter for which the map remains posted.
Identify permittee owned facilities, open space and buildings that can be retrofitted for stormwater BMPs. Lbmp P P/G H - 10	Retrofit projects can include: green infrastructure, catchment improvements, Pollutant of Concern targeted BMPs, and native plant restoration projects.	The site(s) must be retrofitted with stormwater BMPs as listed in the measurable goals. Points can be awarded in the first year the BMPs are installed and begin operation and points may be claimed for each year the retrofitted BMPs continue to be operated.	1 point may be claimed in the first year for each site retrofitted (up to two sites/points maximum, 2 points may be claimed for each year at least two sites continue to operate all of the retrofitted BMPs which were installed.
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or any other industrial/commercial type facility, e.g. recycling facility, transfer station, kennel, or airport.	The wetland shall include a water surface area of at least 1/4 acre or equivalent submerged surface area for submerged wetlands.	Points may be claimed in the year the wetland is constructed and in subsequent years the wetland remains in operation.	2 points may be claimed for the year in which the wetland is constructed, 1 point may be claimed for each subsequent year the wetland remains in operation.

Lbmp P P/G H - 11

Install a canopy or other covered area for load-out of salt or other de-icing chemicals where such de-icing materials are stored either within the permit area or a storage facility located within 30 miles of this permit area.

The canopy or other covered area for load-out of salt or other de-icing materials may be installed at a facility owned by the permittee or at a facility owned by an entity the permittee contracts with as long as the facility is located within 30 miles of this permit area.

The canopy or covered area shall be large enough to allow normal load-out and cleanup of spilled de-icing materials, without mixing with precipitation and resulting in contaminated runoff from the site, during and immediately following load out operations

Points may be claimed in the initial year of construction and in subsequent years the canopy/covered area remains in operation.

3 points may
be claimed for
the year in
which the
canopy/covered
area is
constructed,
2 points may
be claimed for
each
subsequent
year the
canopy/covered
area remains
in operation.

Lbmp P P/G H - 12

Install a stormwater treatment system for capture of either trash, sediment, or debris. Systems may include any proprietary stormwater treatment system including CDS, Hancor, Enviro 21, etc. or similar custom designed systems. A system can be installed at a single municipal storm sewer outfall or on the storm sewer line immediately upstream of the outfall to reduce the discharge of floatables or other objects to receiving waters. Alternately,

The treatment system or method must be capable of continuous operation during stormwater discharges.

An emergency bypass or overflow line can be included to avoid surcharging/flooding in the event the system is overloaded or fails to operate properly at any time.

A log of the material (noting either volume or weight) captured and prevented from discharge to the receiving water shall be maintained.

Volume or weight of the material shall be documented for either each discharge event, on a quarterly basis or at least annually.

3 points may be claimed in the year the treatment system is initially implemented, 2 points may be claimed for each successive year the treatment system continues to be implemented.

Kansas Permit No.: M-KS72-S001 Page 38 of 58

a system may be	-	
installed on a		
stormwater line to		
provide treatment at		
problem locations.		

- b. Documentation of compliance with the goal and implementation time schedule must be maintained on file to claim the associated points. Permittee is responsible for implementing adequate BMPs to comply with the Pollution Prevention/Good Housekeeping for Municipal Operations requirements of this permit and be able to claim at least the required number of points in the calendar years as specified above. Extent of compliance, i.e., equal or exceed the required annual point total or failure to reach the required annual point total, must be reported in the Annual Report.
- c. The permittee is not limited to implementation of the BMPs listed in the above table. Several other BMPs may be implemented, however, only implementation of the BMPs listed in the table may be documented and counted toward the required annual point total.

Guidance useful in implementing the six minimum control measures can be obtained from the Online Water Library (OWL) of the Center for Watershed Protection. A list of url links to helpful guidance documents, including OWL, can be found on the KDHE Municipal Stormwater Program website at the following url:

http://www.kdheks.gov/muni/download/MS4 NPDES Permit helpful guidance.pdf

Document titled "MS4 NPDES Permit Helpful Guidance and/or Resources"

D. Total Maximum Daily Load (TMDL) Regulated Pollutants

The Permittee shall continue to review, update, implement and develop, when necessary, structural and non-structural BMPs which will reduce to the Maximum Extent Practicable the discharge of the TMDL regulated pollutants from the MS4 as listed in PART II.

The effort to reduce the discharge of TMDL regulated pollutants is anticipated to be an iterative process with changes in the SMP periodically, generally not more frequently than annually, possibly every two or three years. This "adaptive management" type process is recommended to attenuate the discharge of TMDL regulated pollutants listed in the TMDL Table of PART II of this permit.

Kansas Permit No.: M-KS72-S001 Page 39 of 58

Each updated SMP document shall provide:

1. Best Management Practices (BMPs)

Updates of the SMP document can include structural and/or non-structural BMPs implemented to reduce the discharge of TMDL regulated pollutants from the MS4. This section of the SMP shall identify or include:

a. BMPs which will be implemented, including non-structural and/or structural measures, as selected from EPA's "National Menu of Best Management Practices (BMPs) for Stormwater" or from a local or regionally appropriate storm drainage criteria manual such as the Kansas City Metro Chapter of the American Public Works Association (APWA) Manual of Best Management Practices for Stormwater Quality or such other BMP manuals as are appropriate (links for the National Menu of Best Management Practices (BMPs) for Stormwater and the Kansas City Metro Chapter of the American Public Works Association (APWA) Manual of Best Management Practices for Stormwater Quality can be found on the KDHE document titled "MS4 NPDES Permit Helpful Guidance and/or Resources" at the following url:

http://www.kdheks.gov/muni/download/MS4 NPDES Permit helpful guidance.pdf

- b. Include a description of non-structural practices being implemented, including the six minimum control measures and/or other source control measures.
- c. Include the location of the structural BMPs.
- d. Identify the design factors associated with the structural BMPs.
- e. Include information on the reported effectiveness of the chosen BMPs based on regionally appropriate data or performance analyses in the International Stormwater BMP Database (a link to the Database can be found on the KDHE document titled "MS4 NPDES Permit Helpful Guidance and/or Resources" at the following url:

http://www.kdheks.gov/muni/download/MS4 NPDES Permit helpful guidance.pdf

- f. Include a schedule for constructing and/or implementing additional selected BMPs to reduce the discharge of TMDL regulated pollutants.
- g. Include an inspection/maintenance plan and schedule for each BMP, as appropriate.
- h. Include a plan and schedule to monitor the effectiveness of the BMPs to reduce the discharge of TMDL regulated pollutants

2. Measurable goals to assess the effectiveness of the TMDL BMPs

Measurable goals may be based on stormwater sampling within the MS4 comparing results upstream of the structural BMP and downstream of the BMP. The monitoring results of samples obtained to determine performance of BMPs should be maintained on file in compliance with the Standard Conditions records retention requirement, these results do not need to be reported to KDHE via the electronic DMR process at this time. However, these monitoring results are to be reported or summarized in the Annual Report as required in PART V REPORTING.

Alternately, measurable goals for TMDL BMPs may be based on a parameter which indirectly relates to the reduction of a TMDL pollutant in stormwater. Examples include the number of brochures or educational fliers distributed to the public, implementation and start of enforcement of an ordinance such as a stream buffer ordinance, the number of times litter collection efforts occur in a year, installation of a specified size of BMP such as a wetland or rain garden with a design area in compliance with the stated value. The permittee may use modeling that has been properly calibrated to determine that BMP measurable goals are being met.

Measurable goals for reducing TMDL pollutants contributed by MS4s can be expressed in quantifiable values and can include, without limitation, the number of BMPs in an area such as but not limited to, a sub-basin; the number of acres controlled by BMPs; the number of rain gardens; performance measures in a development/redevelopment ordinance; or other quantifiable activities or BMP implementations.

In some cases, certain BMPs may be amenable for measurable goals that could include:

- a. reducing the total mass of pollutants, and/or
- b. be expressed as average and median values (percent reduction of inflow volume, reduction in pollutant mass loading) or for bacteria as a geometric mean.

3. Maps shall be developed and maintained which illustrate:

- a. The Permit Area, boundaries of the contributing drainage basins and primary sub-basins, within and outside the Permit Area
- b. The locations of the BMPs, if structural
- c. The location of TMDL stream monitoring locations, if such monitoring is required $% \left(1\right) =\left(1\right) +\left(1\right)$
- d. Storm sewer collection system which includes the outfalls within the Permit Area where the MS4 drains to TMDL listed impaired streams or lakes $\frac{1}{2}$

4. Alternative Stormwater Offsite Pollution Reduction Program

As appropriate, when waters of the state are affected by TMDL regulated pollutants from both the Permit Area and surrounding non-jurisdictional lands, the permittees may incorporate and implement plans through their SMP for an offsite pollution reduction program to install Best Management Practices (BMPs) in alternative locations, including outside the Permit Area, within the watershed shared by urban entities or urban and non-urban entities. Any alternative stormwater offsite pollution reduction program should be developed with watershed interests, such as other communities, Watershed Restoration and Protection Strategy (WRAPS) groups and Conservation Districts lying outside the Permit Area for the joint purpose of reducing pollutant loads generated from urban and non-urban lands within the shared watershed. Candidate offsite locations and practices will be consistent with implementing existing watershed plans that identify specific urban and non-urban (such as agricultural) BMP types and locations to achieve TMDLs reductions. The Alternative Stormwater Offsite Pollution Reduction Program shall be subject to KDHE approval and approved by KDHE prior to incorporation into the permittee's SMP.

E. The parties responsible for compliance with the SMP document.

Kansas Permit No.: M-KS72-S001 Page 41 of 58

F. Monitoring Requirements

Possibly required in PART II.

G. Reporting Requirements

See PART V.

H. Modifications to BMPs and the Stormwater Management Program document

For minor BMP modifications/replacement: Within 60 days of a determination by the permittee or date of written notification from KDHE, the permittee shall modify the BMP if modifications are needed to maintain a program in compliance with this permit.

For major BMP modifications/replacement: These major modifications are defined as ones which normally take more than 60 days to construct and/or implement. Within 60 days of a determination by the permittee or date of notification from KDHE, the permittee shall provide a plan and schedule for the upgrade/replacement of the BMP. The plan and schedule are subject to KDHE approval.

The SMP shall be evaluated annually and, if revisions are necessary, the modified SMP document shall be submitted with the annual report due to KDHE by February 28 of each year.

PART II. TOTAL MAXIMUM DAILY LOAD (TMDL) BEST MANAGEMENT PRACTICES AND SURFACE WATER MONITORING

Permittees who are required to complete storm event monitoring of surface waters, i.e., streams or rivers, (see TMDL Table and associated text) shall report the results of the storm event monitoring with the eDMR reporting system.

A. TMDL BMP IMPLEMENTATION REQUIREMENTS

The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 4 points total on an annual basis for each calendar year 2021 and 2022. The point total requirement increases to 6 points for each calendar year beginning in 2023. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings; a single public hearing can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing a TMDL Pollutant Reduction and Monitoring program as required above, the permittee must implement sufficient listed BMPs in the table below to qualify for the required number of points. As a TMDL requires specific actions be taken to "Establish nutrient reduction practices among urban homeowners to manage application on lawns and gardens, through respective stormwater management programs" the permittee is required to provide public education in the form of press releases, fliers and notices with utility bills to the extent practicable to educate residents on methods to reduce nutrients in stormwater runoff, specifically phosphorus. Other efforts or BMPs may be, at the discretion of the permittee, implemented to effect reduction in phosphorus loading from residential areas in addition to the public education.

BMP Summary	Measurable Goal	Implementation Time Schedule etc.	Points
Install pet waste stations which include a glove/bag dispenser with signage and waste can to encourage pet waste disposal at either parks, trails, rest areas or other public lands owned by the permittee:	At least one pet waste station shall be installed at the selected park, trail, rest area or other public land. The station(s) shall include signage which encourages proper pet waste disposal/cleanup and a waste can.	In the year the Measurable Goal requirement is implemented the point may be claimed and for each year thereafter the pet waste stations remain in use.	1 point may be claimed for the year in which the Measurable Goal requirements are enacted, and 1 points may be claimed for each subsequent year the Measurable Goal requirements remain in effect.
Establish a program to encourage installation of residential rain gardens.	Provide public education on rain gardens and design guidance for the installation of residential rain gardens. The rain gardens must have a minimum area of 20 square feet. The installation of rain gardens on five various residential parcels shall qualify the permittee to claim points for this BMP.	In the year five or more residential rain gardens are finally constructed and become operational the points may be initially claimed and in subsequent years when at least five residential rain gardens remain operational points may be claimed.	3 points may be claimed for the year in which five or more residential parcels install rain gardens and initiate operation, 2 points may be claimed for each subsequent year at least five or more residential parcels have rain gardens remain in operation.
Install and operate a constructed wetland.	The wetland shall include a water surface area of at least one acre or equivalent submerged surface area for submerged wetlands.	Points may be claimed in the year the wetland is constructed and in subsequent years the wetland remains in operation:	3 points may be claimed for the year in which the wetland is constructed, 2 points may be claimed for each subsequent year the wetland remains in operation.

Lbmp T M D L - 04	3 points may
	be claimed for
Enact a stream buffer The enactment of The year the	the year in
ordinance, resolution, stream buffer ordinance,	which the
or other enforceable standards must include resolution or	other ordinance, resolution or
requirement to impose enforcement enforceable	other
stream buffer capability. Consider requirement is	s enforceable
standards. use of the EPA stream enacted points	s may requirement is
buffer model ordinance be claimed.	Also enacted.
or similar such points may be requirement.	2 points may
requirement. claimed for subsequent years.	be claimed for
the ordinance	each
resolution or	other subsequent
enforceable	year it remains in
requirement r	emains effect.
in effect.	errect.
Tibmp T M D L = 05	
Develop a pet waste The brochures or The documents	
brochure or flyer flyers are to be be distribute	
document to educate posted in various any fashion a the public about public buildings and any time thro	
the public about public buildings and any time thro animal waste distributed to the the year.	
contamination of public throughout the	
stormwater. The year In the year the Documents pos	sted on 1 point may be
document encourages number of documents website(s) sh	nall be Taimed in a
pet owners to pick up shall equal or exceed : posted for at	. least vear in which
their pet's waste. the most recent U.S. six months in	the required
Census Bureau year. Docume Alternately, post the decennial housing posted on soc	are an income of the contract
Alternately, post the decennial housing posted on social units value for the media shall be	orocnures
media or the municipal permit area. The posted six ti	mes and/or flyers
website. applicable U.S. Census within the ye	gg, are
housing units value points are cl	
shall be documented,	posted on
and the number of	social media
documents distributed	or the website
shall also be documented. This	must be posted
information and copies	for at least
of the documents shall	as specified.
be retained on file.	
Documents posted to	
social media or the	
website shall have the page copied and	
page copred and printed to retain on	
file.	
Lbmp T M D L - 06	2 points may
	be claimed in
Distribute World David In marking a mineral	a year in
Distribute "Only Rain Provide in portions of The document Down the Drain" door the permit area with be distribute	
hangers or similar suspected illicit any fashion	1 -
document. discharges. In the	hangers or

	T	T	-
	year the number of	any time throughout	similar
	documents distributed	the year.	documents are
	shall equal or exceed		distributed or
	10% of the most recent	Alternately, the	alternately
	U.S. Census Bureau	document may be	
	1		posted to
	decennial housing	posted to social	social media
	units value for the	media (at least	or the
	permit area. The	three times in the	municipal
	applicable U.S. Census	year) or posted on	website for
	housing units value	the municipal	
	shall be documented,	website for a	the required
	•	1	time.
	and the number of	minimum of three	
	documents distributed	months in the year	
	shall also be	to qualify for	
	documented. This	points	
	information and copies		
	of the documents shall		
	be retained on file.		
	De retained on file.		
Lbmp T M D L - 07			
			3 points may
Inspect 10% of all	Complete inspection of	The inspections	be claimed for
known MS4 outfalls for	10% of all known MS4	must be conducted	
dry weather discharges	outfalls either		annual
		either annually or	inspection as
either annually or	annually or twice per	if twice per year	required by
twice per year to	year during dry	they must be	this BMP,
identify potential	weather periods. If	seasonal within the	5 points may
illicit discharges.	dry weather discharge	same calendar year	be claimed for
	is found and in-field	(winter, spring,	these
	screening indicates a		I the state of the Control of the factor of the control of the con
		summer, and fall).	inspections
	suspected illicit	Points can be	completed
	discharge, follow-up	claimed for that	twice in a
	with investigation to	year. In addition,	year, and if
	determine if a portion	if an illicit	an illicit
	or all the discharge	discharge is	discharge is
	is illicit. Document	detected and	
	the findings and		detected <u>and</u>
		eliminated in	eliminated.
	initiate efforts to	association with	The 2
	eliminate any	this inspection	additional
	identified illicit	program additional	points may be
	discharges.	points may be	claimed, only
		claimed in the year	once, either
		detected or in the	
		year the discharge	in the year
			detected or in
		is eliminated.	the year the
			. illicit.
			discharge is
			eliminated.
Lbmp T M D L - 08			
10 H - 08			5 points may
			be claimed in
			the year KDHE
Implement an	This program will	In the year the	approves the
Alternative Stormwater	include installation	Alternative	program,
Offsite Pollution	of BMPs in alternative	Stormwater Offsite	
Reduction Program.			4 points may
Tiodaccion ilogiam.	locations, including	Pollution Reduction	be claimed for
	outside the Permit	Program is approved	each
	Area, within the	by KDHE points may	subsequent
	watershed shared by	be claimed. In	year it

remains in subsequent years in urban entities or effect. which the program urban and non-urban is maintained entities. The points may be alternative stormwater claimed. offsite pollution reduction program shall be developed with watershed interests, such as other communities, Watershed Restoration and Protection Strategy (WRAPS) groups and Conservation Districts lying outside the Permit Area for the joint purpose of reducing pollutant loads generated from urban and non-urban lands within the shared watershed. Candidate offsite locations and practices will be consistent with implementing existing watershed plans that identify specific urban and non-urban (such as agricultural) BMP types and locations to achieve TMDLs reductions. The Alternative Stormwater Offsite Pollution Reduction Program shall be subject to KDHE approval and approved by KDHE prior to incorporation into the permittee's SMP. Lbmp T M D L - 09 2 points may be claimed for The four collection The four litter Implement a program, efforts must occur any year in collection efforts conducted by municipal in a calendar year. which four should, but are not staff or contractors, collection required to, occur to collect and efforts have properly dispose of seasonally, i.e., occurred in litter, on four winter, spring, summer and fall. If it is compliance separate occasions per unreasonable to with the calendar year, within requirements collect litter in any areas where littering of this BMP. season the required has been identified as a problem. Such areas four collection efforts may occur in may include municipal

Control of Arthretical Appropriate Arthretical Control Control			
parks, trails, rest areas, or other public lands owned by the permittee.	either three seasons or in a minimum of two seasons.		
Lbmp T M D L - 10			
Establish a program to encourage Rainwater Harvesting.	Provide public education on rainwater harvesting and design guidance for the installation of rain barrels, cisterns, raingardens and other rainwater harvesting devices. When rain barrels are utilized they must be a minimum size of 50 gallons. When raingardens are utilized they must be a minimum of 20 square feet. A rain harvesting system on a commercial setting must have adequate capacity to hold the runoff from the impervious surface for which it is designed to collect on the commercial parcel equal to that generated by a 0.1-inch rainfall event. The installation of rain barrels or rain gardens on five residential lots, or the installation of one rain harvesting system in a commercial setting shall qualify the permittee to claim points for this BMP.	In the year five or more residential rain barrel systems or one commercial cistern are finally constructed and become operational the points may be initially claimed and in subsequent years when at least five residential rain barrel systems or one commercial cistern remain operational points may be claimed.	3 points may be claimed for any year in which sufficient rain harvesting systems are constructed or maintained in operation in compliance with the requirements of this BMP.
bioretention, detention basins, porous pavement, retention ponds, media filters and any	A construction project installing a structural BMP must be completed prior to awarding of points. Any individual project will be awarded points scaled on the basis of the extent of the contributing area that the BMP will control.	By year five of this permit, at least two structural BMP projects will be constructed and maintained. Points will be awarded in the year construction was completed and	4 points may be claimed for any year in which a structural BMP project is completed for a contributing area exceeding one acre. 3 points may be claimed for any year in which a

trains of multiple BMPs	The permittee will document maintenance of the constructed BMP in subsequent years to continue to be awarded points.	subsequent points will be awarded in the subsequent years after documentation of maintenance of the project.	structural project is completed for a contributing area under one acre. A bonus point may be awarded for a composite BMP project. 2 points may be awarded in subsequent years upon documentation of ongoing maintenance of the BMPs.
Lbmp T M D L - 12 Construct a stream bank stabilization project.	Install a minimum of 100 feet of bank stabilization at a site(s) with a history of erosion.	The installation of, the minimum 100 feet of bank stabilization must occur in the year points are claimed at a single site or at multiple sites. The sites may be on the same stream or on different streams.	3 points may be claimed for the year in which the required minimum amount of stream bank stabilization is installed, 2 points may be claimed for each subsequent year it remains in effect.

- 1. Documentation of compliance with the goal and implementation time schedule must be maintained on file to claim the associated points. Permittee is responsible for implementing adequate BMPs to comply with the TMDL BMP Implementation Requirements of this permit and be able to claim at least the required number of points in the calendar years as specified above. Extent of compliance, i.e., equal or exceed the required annual point total or failure to reach the required annual point total, must be reported in the Annual Report.
- 2. The permittee is not limited to implementation of the BMPs listed in the above table. Several other BMPs may be implemented, however, only implementation of the BMPs listed in the table may be documented and counted toward the required annual point total.

The permittee shall implement Best Management Practices (BMPs) to reduce to the Maximum Extent Practicable the discharge of the TMDL regulated pollutants from the MS4 to the watershed of the impaired stream(s) as listed below:

TMDL TABLE

Total Maximum Daily Loads, TMDLs, are established for waters found on the CWA Section 303d list of impaired waters. The purpose of the TMDL is to define the necessary and allowable pollutant load that may enter those impaired waters during an established critical condition, so those waters attain a condition that fully supports all their designated uses during that critical condition. The TMDL then allocates portions of that allowable load among the likely point and non-point sources discharging the pollutant into the water or its watershed. Implementation of the TMDL by the NPDES and 319 programs brings about reductions in current loading from those sources through numeric goals or narrative actions to the allowable level allocated to each source.

TMDL Regulated Pollutant	Specific Impaired Stream(s) to Target
Bacteria	Kansas River, South Branch Shunganunga Creek, Shunganunga Creek, Deer Creek
Nutrients	Kansas River
Sediment	Kansas River

Wet weather surface water quality monitoring does not need to be conducted on the Kansas River, it is only required on South Branch Shunganunga Creek, Shunganunga Creek, and Deer Creek under this permit. The required surface water monitoring locations* and their EDMR codes are identified as follows:

SURFACE WATER MONITORING LOCATIONS			
LOCAL SITE NAME	LOCAL ID.	LOCATION DESCRIPTION	KDHE EDMR CODE
Shunganunga at Wanamaker	S-1	Shunganunga at Wanamaker	SHWR003D6
Shunganunga at Golden Avenue	S-4	Shunganunga at Golden Avenue	SHGN003A6
Deer Creek 2 nd St.		Deer Creek at SE 2 nd Street	DRCK2002A6
South Shunga at SW 29 th St.		S. Shunga at SW 29 th Street	SSH29005A6

^{*} Note - Monitoring locations may change with KDHE approval.

B. Monitoring Requirements

1. Storm Event Monitoring: The permittee shall implement a wet weather monitoring program with the intent to assess the impact of precipitation related discharges to the stream. Sampling and analysis will normally include, instream monitoring of the main stream(s) entering and leaving the Permit Area as identified in the TMDL Table. Alternately, in some cases main stream monitoring may not be appropriate as other sources of pollutants may be introduced by point or non-point

Kansas Permit No.: M-KS72-S001 Page 49 of 58

discharges and tributaries to the listed main streams, which originate within or near the Permit Area, may be monitored at a single location to characterize the water quality draining from the permit area. The permittee shall implement this monitoring program to support adaptive stormwater management and the evaluation of SMP effectiveness in reducing the discharge of pollutants from the MS4. Monitoring for the parameters listed in the Parameters table shall be conducted as required for each storm event sampled which meets the criteria specified in this section.

The storm event monitoring data for TMDLs, as required in this PART II, may be used to assist in evaluating trends in water quality. This monitoring is not necessarily intended to demonstrate compliance with the requirements of this MS4 NPDES permit.

2. Additionally, other stream monitoring, monitoring of flow within the MS4, monitoring of discharges from MS4 outfalls, monitoring to detect or locate illicit discharges, and monitoring stormwater flow within structural BMPs may be completed at the permittee's discretion to assist in management and evaluation of the BMPs and the SMP. These additional monitoring results are not required to be reported to KDHE via the eDMR reporting process.

In addition to the storm event monitoring, the permittee may want to conduct dry weather monitoring, as appropriate, to determine the effectiveness of the six minimum control measures, detect illicit discharges, or to confirm baseline water quality data. These additional monitoring results are not required to be reported to KDHE via the eDMR reporting process.

C. Monitoring Frequency and Periods Criteria

- 1. Four storm events per year per monitoring site shall be monitored. Storm event shall mean a 24-hr rain or snow melt event of greater than or equal to 0.25 inches.
- 2. Monitoring shall normally be conducted in the spring (between March 1 and June 30) and summer (between July 1 and October 31) for the parameters as appropriate based upon the impairment. It is recommended two events be monitored in the spring and two events be monitored in the summer. However, it is most important four events be monitored in each calendar year and storm event monitoring can occur in any month.

D. Parameters

TMDL Impairment	Parameter to be Monitored *	MRL **	Sample Type
Nutrients	Total Phosphorus as P (mg/l)	0.05 (mg/l)	Grab or Composite
Nutrients	Nitrate+Nitrite as N (mg/l)	0.10 (mg/l)	Grab or Composite
Nutrients	Total Kjeldahl Nitrogen (mg/l)	1 (mg/l)	Grab or Composite
Nutrients	Total Nitrogen (mg/l)		Calculate ***
Sediment	Total Suspended Solids (mg/l)	10 (mg/l)	Grab or Composite
Sediment	Turbidity (NTU)	· 3/ /	Grab or Composite
Bacteria	E. coli (Col/100 ml or MPN)	10 (Col/100 ml or MPN)	Grab

* For a listed TMDL Regulated Pollutant in the TMDL Table, multiple parameters may be required to be monitored. In the case of Bacteria only one parameter needs to be monitored (E. coli). However, in the case of Sediment two parameters need to be monitored (Total Suspended Solids and Turbidity). In the case of Nutrients three parameters need to be monitored (Total Phosphorus, Nitrate+Nitrite as N, and, Total Kjeldahl Nitrogen). Additionally, one value needs to be calculated Total Nitrogen which equals the sum of Nitrate+Nitrite as N and Total Kjeldahl Nitrogen (the eDMR reporting process will calculate this value for the individual reporting the data).

Monitoring in impaired streams to test for TMDL pollutants, as listed in the TMDL Table does not necessarily require monitoring for all of the parameters listed in the Parameters table. For a stream, or its tributary, where monitoring is conducted, only the parameters associated with the listed TMDL Regulated Pollutant need to be monitored.

- ** Minimum Reportable Limit
- *** Total Nitrogen = Total Kjeldahl Nitrogen + Nitrate+Nitrite.

In addition, at the time of sampling, report the following:

- 1. Rainfall (last 24 hours) inches
- 2. Stream Flow CFS
- 3. Stream Depth from a standard Feet
- 4. Stream Level (rising, falling, steady)
- 5. Stream Velocity (rapid, normal, still [backwater])

Gauge Reading Estimate/Reading Estimate/Reading Describe

Describe

For storm events, grab samples for instream monitoring are to be obtained within 4 hours of rising stages on streams. Monitoring of a storm event for the purpose of complying with the stormwater monitoring and reporting requirements of this permit is not allowed if there is not at least 24 hours between this sampling storm event and the end of the previous rainfall event. If composite sampling is conducted, samples are normally collected over the course of the hydrograph and flow-weighted to provide a representative composite sample for the storm event.

E. Adaptive Management

The monitoring program may be adapted to improve the effectiveness of the SMP or if supported by additional information. It may also be supplemented or supplanted with modeling approaches to meet monitoring plan objectives. Any modifications to the monitoring program are subject to KDHE approval.

Kansas Permit No.: M-KS72-S001 Page 51 of 58

F. Documentation of Stream Monitoring Locations

The permittee, within 100 days following the effective date of this permit, shall provide KDHE maps illustrating the wet weather surface water monitoring locations and a table listing information associated with each monitoring location in a similar fashion as required by the annual reports. In some cases, KDHE has approved a rotational monitoring program where some monitoring locations are only monitored in certain years, if this is the case the table must list the years monitoring is required or alternately indicate all years. Information provided in the table shall be formatted similar to the following example:

Local Site Name	Farwell	
Local Site Identifier	C1	
Sample Location Description	On the east side of this bridge is a pedestrian walkway where a rope and bucket are lowered to the middle of the river to obtain a sample.	
KDHE EDMR Code if Known	Far2002C5	
Lat/Long Data - Decimal & Degree Format		
Latitude	42.367056°	
Longitude	-71.218089°	
Years monitoring will be conducted	2019 and 2022 (Alternate notation is all years)	

EPA has promulgated a final rule requiring regulated entities to report DMR data electronically. Also, KAR 28-16-63 requires permittees to report NPDES data in a form required by KDHE. KDHE has developed electronic reporting tools to assist permittees in complying with the EPA electronic reporting rule and KAR 28-61-63. Unless a waiver has been approved by KDHE, permittees are required to submit reports electronically via the eDMR process.

The storm event monitoring data for TMDLs, as required in this PART II, is required to be reported to KDHE via the electronic DMR (eDMR) process. Additional monitoring of streams flowing within or near the Permit Area, monitoring industrial stormwater discharges (PART III), monitoring of discharges from MS4 outfalls, or discharges from areas with BMPs may be done at the permittee's discretion to assist in management and evaluation of the BMPs (process control/monitoring) and for compliance with the SMP and/or this permit. This additional monitoring is not required to be reported via the eDMR process.

PART III. MONITORING INDUSTRIAL STORMWATER DISCHARGES:

A program for monitoring industrial stormwater discharges to the MS4 system in order to control pollutants from industrial facilities shall be developed and detailed within the SMP. This program for monitoring and controlling such run-off shall include the following:

A. Develop and maintain a list of industrial facilities that the permittee determines are contributing a substantial pollutant loading to the municipal storm sewer system. This list shall include municipal landfills; hazardous waste treatment, disposal, or

recovery facilities; and facilities that are subject to section 313 of title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA).

- B. Annually at least two facilities on the list shall be identified as high priority facilities and an inspection shall be conducted with sampling of stormwater runoff, for the following parameters:
 - 1. Oil and grease mg/l
 - 2. Chemical oxygen demand mg/l
 - 3. pH Standard Units
 - 4. Biochemical oxygen demand (5 day) mg/l
 - 5. Total suspended solids mg/l
 - 6. Total phosphorus mg/l
 - 7. Total kjeldahl nitrogen (TKN) mg/l reported as N
 - 8. Nitrate plus nitrite (NO_3+NO_2) mg/l reported as N
 - 9. Total nitrogen mg/l calculated as TKN + (NO₃+NO₂) reported as N
 - 10. Any other Pollutant limited in applicable effluent guidelines subcategories
 - 11. Any other pollutant listed in an existing NPDES permit for the industrial facility reported in the format specified in the permit

A minimum of a single grab sample should be obtained within the first 30 minutes of the start of stormwater runoff, intent is to obtain samples in initial or "first flush" conditions. The storm event should result in a 0.25 inch or more rainfall.

Kansas Permit No.: M-KS72-S001 Page 53 of 58

PART IV. PERMIT COMPLIANCE ACTIVITIES AND SCHEDULES

A. Year 2020:

Any remaining tasks necessary to complete the update of the SMP should be completed in 2020.

Permittees required to complete TMDL storm event monitoring of streams shall report results via the eDMR reporting process for all monitoring within a calendar year by no later than January 28 of the following year.

The Annual Report for calendar year 2019 must be submitted to KDHE between January 1 and February 28, 2020.

B. Year 2021:

The updated SMP document must be submitted to KDHE with the 2020 Annual Report between January 1 and February 28, 2021.

The permittee must implement sufficient listed BMPs to achieve minimum point requirements for each year beginning in 2021.

Permittees required to complete TMDL storm event monitoring of streams shall report results via the eDMR reporting process for all monitoring within a calendar year by no later than January 28 of the following year.

The Annual Report for calendar year 2020 must be submitted to KDHE between January 1 and February 28, 2021.

C. Year 2022:

Permittees required to complete TMDL storm event monitoring of streams shall report results via the eDMR reporting process for all monitoring within a calendar year by no later than January 28 of the following year.

The permittee must implement sufficient listed BMPs to achieve minimum point requirements for each year.

The Annual Report for calendar year 2021 must be submitted to KDHE between January 1 and February 28, 2022.

D. Year 2023

Permittees required to complete TMDL storm event monitoring of streams shall report results via the eDMR reporting process for all monitoring within a calendar year by no later than January 28 of the following year.

The permittee must implement sufficient listed BMPs to achieve minimum point requirements for each year. The point total requirements increase this year.

By February 28, 2023, provide a report (in PDF format) on effectiveness of source controls and structural BMPs to attenuate pollutant discharge and achieve the measurable goals. And if the TMDL Table in PART II lists TMDL Regulated Pollutants and the permittee is required to conduct surface water monitoring of specific impaired streams, this report must also summarize water quality data from in stream monitoring sites. This report must be submitted to KDHE along with the Annual Report for 2022.

The Annual Report for calendar year 2022 must be submitted to KDHE between January 1 and February 28, 2023.

E. Year 2024

Permittees required to complete TMDL storm event monitoring of streams shall report results via the eDMR reporting process for all monitoring within a calendar year by no later than January 28 of the following year.

The permittee must implement sufficient listed BMPs to achieve minimum point requirements for each year.

The Annual Report for calendar year 2023 must be submitted to KDHE between January 1 and February 28, 2024.

PART V. REPORTING

- A. The permittee shall submit a calendar year annual report to KDHE by February 28 of each year. The annual report shall be submitted to KDHE in the form specified by KDHE. Normally an annual report template (Basic Report) is posted on the KDHE website in the last three months of each year. The report template can be downloaded and completed. The completed annual report along with attachments or other documents which need to be submitted in association with the annual report shall all be submitted in PDF file formats to KDHE on a standard compact disk (CD) or digital versatile disk (DVD). The initial report under this permit is due February 28, 2020 for calendar year 2019. Once KDHE has implemented the KEIMS webbased system, all documents submitted will be required to be uploaded through the KEIMS program. KDHE will provide notification to the permittee when reporting via the KEIMS system is required. The annual report shall cover the activities during the previous calendar year and must include:
 - 1. Provide the status of compliance with permit conditions, an assessment of the appropriateness of the implemented Best Management Practices, progress towards achieving the statutory goal of reducing the discharge of pollutants to the maximum extent practicable (MEP), and the measurable goals with an indication of the progress toward meeting the goals for each of the six minimum control measures.
 - 2. Provide results of information collected and analyzed, (for example test results, surveys, or public comments/input) during the annual reporting period. This may include monitoring data used to assess the success of best management practices with respect to reduction in pollutant discharge. Include an interpretation of the information which addresses success or failure of the portion of the program for which the information applies.
 - 3. For Best Management Practices (BMPs), which are directed at reducing the discharge of TMDL regulated pollutants, provide the measurable goals of each BMP with an indication of the progress toward meeting the goals.
 - 4. Provide results of information collected and analyzed, if any, during the annual reporting period, including monitoring data used to assess the success of the program at reducing the TMDL regulated pollutants.
 - 5. Provide a summary of the stormwater activities that were scheduled to be undertaken during the previous calendar year and the status of these activities.
 - 6. Provide a summary of the stormwater activities which are scheduled to be undertaken during the next calendar year (including an implementation schedule).

Kansas Permit No.: M-KS72-S001 Page 55 of 58

7. Provide a map showing changes in the permittee's Permit Area if the permit area has changed within the year.

- 8. Provide a description of significant changes in any of the BMPs.
- 9. Provide copies of any ordinances or resolutions which were updated in the last year and are associated with the SMP.
- 10. Provide a list of other parties (such as other municipalities or consultants), which are responsible for implementing any of the program areas of the Stormwater Management Program.
- 11. Provide a summary of the inspection results, including the wet weather surface water quality monitoring test results, and information obtained under PART III Monitoring Industrial Stormwater Discharges section of this permit.
- B. Information and monitoring results gathered in compliance with PART II TOTAL MAXIMUM DAILY LOAD (TMDL) BEST MANAGEMENT PRACTICES AND SURFACE WATER MONITORING, must be reported in compliance with the eDMR reporting requirement as addressed in B. Monitoring Requirements, Frequency and Parameters.

STANDARD CONDITIONS FOR KANSAS WATER POLLUTION CONTROL AND NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM MS4 PERMITS

- 1. Representative Sampling and Monitoring Report Submittals:
 - A. Samples and measurements taken as required herein shall be representative of the quality of the monitored water. Test results shall be recorded for the day the samples were taken. All samples shall normally be taken at the locations designated by the permittee in the Stormwater Management Plan according to the requirements of this permit. In the event samples must be obtained from a location different than that designated in the Stormwater Management Plan the annual report shall indicate the change of location and provide the justification therefore.
 - B. Monitoring results shall be recorded and reported on forms acceptable to the Division and provided in the annual report. Signed and certified copies of the annual report prepared in accordance with KAR 28-16-59, and all other reports required herein, shall be sent by U.S. mail to:

Kansas Department of Health & Environment Bureau of Water-Municipal Programs Section 1000 SW Jackson Street, Suite 420 Topeka, KS 66612-1367

2. Definitions:

- A. A "grab sample" is an individual sample collected in less than 15 minutes. A "composite sample" is a combination of individual samples in which the volume of each individual sample is proportional to the flow, or the sample frequency is proportional to time frequency is proportional to time.
- B. The terms "Director", "Division", and "Department" refer to the Director, Division of Environment, Kansas Department of Health and Environment, respectively.
- C. "Severe property damage" means substantial physical damage to property, damage to the treatment/control facilities which causes them to become inoperable, or substantial and permanent loss of natural resources which can reasonably be expected to occur in the absence of a diversion.
- 3. Duty to Mitigate: The permittee shall take all reasonable steps to minimize or prevent any damage to the environment or hazard to human health from any discharge in violation of this permit.
- 4. Test Procedures: All analyses required by this permit shall conform to the requirements of 40 CFR Part 136, unless otherwise specified, and shall be conducted in a laboratory accredited by the Department. For each measurement or sample, the permittee shall record the exact place, date, and time of measuring/sampling; the date and time of the analyses, the analytical techniques or methods used, minimum detection or reportable level, and the individual(s) who performed the measuring/sampling and analysis and, the results. If the permittee monitors any pollutant at the location(s) designated herein more frequently than required by this permit, using approved procedures, the results shall be included in the Monitoring Report form required in 1.B. above. Such increased frequencies shall also be indicated.
- 5. Change in Discharge: All stormwater discharges shall be in compliance with the conditions of the permit. Modification or expansion of the storm sewer system is allowed. All new storm sewer segments and outfalls constructed after the effective date of the permit, which are located within the permit area, are authorized under the permit and must comply with the permit conditions.
- 6. Proper Operations and Maintenance: The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the requirements of this permit and Kansas and Federal law.

7. Incident Reporting: The permittee shall report any unanticipated significant incidents which would be expected to result in non-compliance with the permit requirements within 24 hours from the time the permittee became aware of the incident. A written submission shall be provided within 5 days of the time the permittee became aware of the incident. The written submission shall contain a description of the noncompliance and its cause, the period of noncompliance, including exact dates and times; and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent recurrence of the noncompliance.

For an anticipated incident or any planned changes or activities in the permitted control/treatment facility that may result in noncompliance with the permit requirements, the permittee shall submit written notice, if possible, at least ten days before the date of the event.

- 8. Removed Substances: Solids, sludges, debris, or other pollutants removed in the course of control/treatment of stormwater shall be utilized or disposed of in a manner acceptable to the Division.
- 9. Right of Entry: The permittee shall allow authorized representatives of the Division of Environment or the Environmental Protection Agency upon the presentation of credentials, to enter upon the permittee's premises where a stormwater discharge or source is located, or in which are located any records required by this permit, and at reasonable times, to have access to and copy any records required by this permit, to inspect any facilities, monitoring equipment or monitoring method required in this permit, and to sample any stormwater discharges from or influents into the stormwater control/treatment facilities.
- 10. Transfer of Ownership: The permittee shall notify the succeeding owner or controlling person of the existence of this permit by certified letter, a copy of which shall be forwarded to the Division. The succeeding owner shall secure a new permit. This permit is not transferable to any person except after notice and approval by the Director. The Director may require modification or revocation and reissuance of the permit to change the name of the permittee and incorporate such other requirements as may be necessary.
- 11. Records Retention: Unless otherwise specified, all records and information resulting from the monitoring activities required by this permit, including all records of analyses and calibration and maintenance of instruments and recordings from continuous monitoring instruments, shall be retained for a minimum of 3 years, or longer if requested by the Division.
- 12. Availability of Records: Except for data determined to be confidential under 33 USC Section 1318, all reports prepared in accordance with the terms of this permit shall be available for public inspection at the offices of the Department. Treated and raw stormwater data shall not be considered confidential. Knowingly making any false statement on any such report or tampering with equipment to falsify data may result in the imposition of criminal penalties as provided for in 33 USC Section 1319 and KSA 65-170c.
- 13. Permit Modifications and Terminations: As provided by KAR 28-16-62, after notice and opportunity for a hearing, this permit may be modified, suspended or revoked or terminated in whole or in part during its term for cause as provided, but not limited to those set forth in KAR 28-16-62 and KAR 28-16-28b through g. The permittee shall furnish to the Director, within a reasonable amount of time, any information which the Director may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit or to determine compliance with this permit. The permittee shall also furnish upon request, copies of all records required to be kept by this permit. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition.
- 14. Administrative, Civil and Criminal Liability: The permittee shall comply with all requirements of this permit. Nothing in this permit shall be construed to relieve the permittee from administrative, civil or criminal penalties for noncompliance as provided for in KSA 65-161 et seq., and 33 USC Section 1319.
- 15. Oil and Hazardous Substance Liability: Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities or penalties to which the permittee is or may be subject to under 33 USC Section 1321 or KSA 65-164 et seq. A permittee shall promptly notify the Division by telephone upon discovering crude oil or any petroleum derivative in its storm sewer system or stormwater control/treatment facilities.

- Property Rights: The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights nor any infringements of or violation of federal, state or local laws or regulations.
- 17. Severability: The provisions of this permit are severable. If any provision of this permit or any circumstance is held invalid, the application of such provision to other circumstances and the remainder of the permit shall not be affected thereby.
- 18. Removal from Service: The permittee shall inform the Division at least three months before any control/treatment unit, or any other part of the control/treatment facility permitted by this permit is to be removed from service and shall make arrangements acceptable to the Division to decommission the facility or part of the facility being removed from service such that the public health and waters of the state are protected.
- 19. Duty to Reapply: A permit holder wishing to continue any activity regulated by this permit after the expiration date, must apply for a new permit at least 180 days prior to expiration of the permit.